

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $27 \div 7 = 3 \dots 6$

② $28 \div 3 = 9 \dots 1$

③ $28 \div 8 = 3 \dots 4$

④ $87 \div 9 = 9 \dots 6$

⑤ $29 \div 6 = 4 \dots 5$

⑥ $13 \div 6 = 2 \dots 1$

⑦ $74 \div 9 = 8 \dots 2$

⑧ $47 \div 6 = 7 \dots 5$

⑨ $82 \div 9 = 9 \dots 1$

⑩ $11 \div 2 = 5 \dots 1$

⑪ $43 \div 5 = 8 \dots 3$

⑫ $79 \div 8 = 9 \dots 7$

⑬ $42 \div 8 = 5 \dots 2$

⑭ $29 \div 4 = 7 \dots 1$

⑮ $26 \div 5 = 5 \dots 1$

⑯ $69 \div 7 = 9 \dots 6$

⑰ $59 \div 8 = 7 \dots 3$

⑱ $16 \div 5 = 3 \dots 1$

⑲ $59 \div 6 = 9 \dots 5$

⑳ $8 \div 7 = 1 \dots 1$

㉑ $36 \div 8 = 4 \dots 4$

㉒ $18 \div 7 = 2 \dots 4$

㉓ $8 \div 3 = 2 \dots 2$

㉔ $31 \div 6 = 5 \dots 1$

㉕ $76 \div 9 = 8 \dots 4$

⑳ $65 \div 9 = 7 \dots 2$

㉗ $9 \div 5 = 1 \dots 4$

㉘ $9 \div 4 = 2 \dots 1$

㉙ $19 \div 8 = 2 \dots 3$

㉚ $58 \div 8 = 7 \dots 2$

㉛ $5 \div 3 = 1 \dots 2$

㉜ $7 \div 6 = 1 \dots 1$

㉝ $41 \div 8 = 5 \dots 1$

㉞ $37 \div 8 = 4 \dots 5$

㉟ $14 \div 3 = 4 \dots 2$

㊱ $17 \div 7 = 2 \dots 3$

㊲ $16 \div 6 = 2 \dots 4$

㊳ $56 \div 6 = 9 \dots 2$

㊴ $13 \div 3 = 4 \dots 1$

㊵ $83 \div 9 = 9 \dots 2$

㊶ $46 \div 8 = 5 \dots 6$

㊷ $15 \div 4 = 3 \dots 3$

㊸ $13 \div 4 = 3 \dots 1$

㊹ $77 \div 8 = 9 \dots 5$

㊺ $39 \div 4 = 9 \dots 3$

㊻ $9 \div 7 = 1 \dots 2$

㊼ $6 \div 5 = 1 \dots 1$

㊽ $55 \div 9 = 6 \dots 1$

㊾ $68 \div 7 = 9 \dots 5$

㊿ $37 \div 9 = 4 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $73 \div 9 = 8 \dots 1$

② $75 \div 9 = 8 \dots 3$

③ $56 \div 9 = 6 \dots 2$

④ $66 \div 8 = 8 \dots 2$

⑤ $64 \div 7 = 9 \dots 1$

⑥ $26 \div 8 = 3 \dots 2$

⑦ $84 \div 9 = 9 \dots 3$

⑧ $46 \div 5 = 9 \dots 1$

⑨ $29 \div 9 = 3 \dots 2$

⑩ $65 \div 7 = 9 \dots 2$

⑪ $25 \div 7 = 3 \dots 4$

⑫ $89 \div 9 = 9 \dots 8$

⑬ $46 \div 6 = 7 \dots 4$

⑭ $16 \div 7 = 2 \dots 2$

⑮ $37 \div 7 = 5 \dots 2$

⑯ $35 \div 4 = 8 \dots 3$

⑰ $49 \div 8 = 6 \dots 1$

⑱ $18 \div 4 = 4 \dots 2$

⑲ $14 \div 5 = 2 \dots 4$

⑳ $31 \div 5 = 6 \dots 1$

㉑ $65 \div 8 = 8 \dots 1$

㉒ $57 \div 8 = 7 \dots 1$

㉓ $17 \div 5 = 3 \dots 2$

㉔ $27 \div 4 = 6 \dots 3$

㉕ $38 \div 7 = 5 \dots 3$

⑳ $44 \div 5 = 8 \dots 4$

㉗ $34 \div 8 = 4 \dots 2$

㉘ $59 \div 7 = 8 \dots 3$

㉙ $17 \div 6 = 2 \dots 5$

㉚ $43 \div 8 = 5 \dots 3$

㉛ $85 \div 9 = 9 \dots 4$

㉜ $15 \div 2 = 7 \dots 1$

㉝ $86 \div 9 = 9 \dots 5$

㉞ $39 \div 7 = 5 \dots 4$

㉟ $7 \div 2 = 3 \dots 1$

㊱ $38 \div 6 = 6 \dots 2$

㊲ $22 \div 7 = 3 \dots 1$

㊳ $78 \div 8 = 9 \dots 6$

㊴ $36 \div 5 = 7 \dots 1$

㊵ $33 \div 4 = 8 \dots 1$

㊶ $34 \div 4 = 8 \dots 2$

㊷ $21 \div 4 = 5 \dots 1$

㊸ $6 \div 4 = 1 \dots 2$

㊹ $75 \div 8 = 9 \dots 3$

㊺ $73 \div 8 = 9 \dots 1$

㊻ $22 \div 4 = 5 \dots 2$

㊼ $44 \div 7 = 6 \dots 2$

㊽ $58 \div 9 = 6 \dots 4$

㊾ $46 \div 9 = 5 \dots 1$

㊿ $44 \div 6 = 7 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $77 \div 9 = 8 \dots 5$

② $49 \div 9 = 5 \dots 4$

③ $27 \div 8 = 3 \dots 3$

④ $76 \div 8 = 9 \dots 4$

⑤ $25 \div 6 = 4 \dots 1$

⑥ $24 \div 7 = 3 \dots 3$

⑦ $19 \div 3 = 6 \dots 1$

⑧ $26 \div 6 = 4 \dots 2$

⑨ $69 \div 9 = 7 \dots 6$

⑩ $23 \div 7 = 3 \dots 2$

⑪ $34 \div 6 = 5 \dots 4$

⑫ $49 \div 5 = 9 \dots 4$

⑬ $16 \div 3 = 5 \dots 1$

⑭ $22 \div 5 = 4 \dots 2$

⑮ $38 \div 4 = 9 \dots 2$

⑯ $17 \div 2 = 8 \dots 1$

⑰ $78 \div 9 = 8 \dots 6$

⑱ $33 \div 5 = 6 \dots 3$

⑲ $64 \div 9 = 7 \dots 1$

⑳ $18 \div 8 = 2 \dots 2$

㉑ $26 \div 3 = 8 \dots 2$

㉒ $19 \div 2 = 9 \dots 1$

㉓ $38 \div 5 = 7 \dots 3$

㉔ $48 \div 9 = 5 \dots 3$

㉕ $67 \div 8 = 8 \dots 3$

⑳ $59 \div 9 = 6 \dots 5$

㉗ $57 \div 9 = 6 \dots 3$

㉘ $9 \div 2 = 4 \dots 1$

㉙ $45 \div 8 = 5 \dots 5$

㉚ $7 \div 3 = 2 \dots 1$

㉛ $79 \div 9 = 8 \dots 7$

㉜ $88 \div 9 = 9 \dots 7$

㉝ $41 \div 5 = 8 \dots 1$

㉞ $29 \div 5 = 5 \dots 4$

㉟ $24 \div 5 = 4 \dots 4$

㊱ $11 \div 5 = 2 \dots 1$

㊲ $28 \div 6 = 4 \dots 4$

㊳ $58 \div 7 = 8 \dots 2$

㊴ $35 \div 6 = 5 \dots 5$

㊵ $17 \div 8 = 2 \dots 1$

㊶ $12 \div 5 = 2 \dots 2$

㊷ $47 \div 9 = 5 \dots 2$

㊸ $45 \div 7 = 6 \dots 3$

㊹ $15 \div 6 = 2 \dots 3$

㊺ $27 \div 5 = 5 \dots 2$

㊻ $74 \div 8 = 9 \dots 2$

㊼ $57 \div 6 = 9 \dots 3$

㊽ $66 \div 7 = 9 \dots 3$

㊾ $39 \div 6 = 6 \dots 3$

㊿ $18 \div 5 = 3 \dots 3$

わり算 [2]

内容

余りを求めるのに

繰り下がりの引き算が必要でないわり算問題の答え

① $37 \div 6 = 6 \dots 1$

② $44 \div 8 = 5 \dots 4$

③ $49 \div 6 = 8 \dots 1$

④ $67 \div 9 = 7 \dots 4$

⑤ $48 \div 5 = 9 \dots 3$

⑥ $19 \div 4 = 4 \dots 3$

⑦ $19 \div 9 = 2 \dots 1$

⑧ $7 \div 5 = 1 \dots 2$

⑨ $22 \div 3 = 7 \dots 1$

⑩ $8 \div 6 = 1 \dots 2$

⑪ $17 \div 3 = 5 \dots 2$

⑫ $7 \div 4 = 1 \dots 3$

⑬ $26 \div 4 = 6 \dots 2$

⑭ $47 \div 7 = 6 \dots 5$

⑮ $23 \div 3 = 7 \dots 2$

⑯ $19 \div 6 = 3 \dots 1$

⑰ $14 \div 6 = 2 \dots 2$

⑱ $25 \div 8 = 3 \dots 1$

⑲ $38 \div 9 = 4 \dots 2$

⑳ $42 \div 5 = 8 \dots 2$

㉑ $58 \div 6 = 9 \dots 4$

㉒ $69 \div 8 = 8 \dots 5$

㉓ $39 \div 9 = 4 \dots 3$

㉔ $14 \div 4 = 3 \dots 2$

㉕ $28 \div 9 = 3 \dots 1$

⑳ $5 \div 4 = 1 \dots 1$

㉗ $57 \div 7 = 8 \dots 1$

㉘ $9 \div 8 = 1 \dots 1$

㉙ $48 \div 7 = 6 \dots 6$

㉚ $43 \div 6 = 7 \dots 1$

㉛ $8 \div 5 = 1 \dots 3$

㉜ $23 \div 4 = 5 \dots 3$

㉝ $39 \div 8 = 4 \dots 7$

㉞ $33 \div 6 = 5 \dots 3$

㉟ $55 \div 6 = 9 \dots 1$

㊱ $47 \div 5 = 9 \dots 2$

㊲ $13 \div 5 = 2 \dots 3$

㊳ $32 \div 6 = 5 \dots 2$

㊴ $29 \div 3 = 9 \dots 2$

㊵ $45 \div 6 = 7 \dots 3$

㊶ $29 \div 8 = 3 \dots 5$

㊷ $25 \div 4 = 6 \dots 1$

㊸ $13 \div 2 = 6 \dots 1$

㊹ $23 \div 5 = 4 \dots 3$

㊺ $37 \div 4 = 9 \dots 1$

㊻ $46 \div 7 = 6 \dots 4$

㊼ $26 \div 7 = 3 \dots 5$

㊽ $28 \div 5 = 5 \dots 3$

㊾ $33 \div 8 = 4 \dots 1$

㊿ $15 \div 7 = 2 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $16 \div 6 = 2 \dots 4$

② $21 \div 4 = 5 \dots 1$

③ $42 \div 5 = 8 \dots 2$

④ $75 \div 8 = 9 \dots 3$

⑤ $6 \div 5 = 1 \dots 1$

⑥ $39 \div 8 = 4 \dots 7$

⑦ $19 \div 8 = 2 \dots 3$

⑧ $19 \div 3 = 6 \dots 1$

⑨ $25 \div 6 = 4 \dots 1$

⑩ $18 \div 5 = 3 \dots 3$

⑪ $22 \div 5 = 4 \dots 2$

⑫ $46 \div 5 = 9 \dots 1$

⑬ $8 \div 6 = 1 \dots 2$

⑭ $66 \div 8 = 8 \dots 2$

⑮ $68 \div 8 = 8 \dots 4$

⑯ $56 \div 9 = 6 \dots 2$

⑰ $57 \div 8 = 7 \dots 1$

⑱ $38 \div 6 = 6 \dots 2$

⑲ $22 \div 3 = 7 \dots 1$

⑳ $47 \div 9 = 5 \dots 2$

㉑ $13 \div 4 = 3 \dots 1$

㉒ $36 \div 8 = 4 \dots 4$

㉓ $9 \div 2 = 4 \dots 1$

㉔ $41 \div 8 = 5 \dots 1$

㉕ $45 \div 6 = 7 \dots 3$

⑳ $48 \div 5 = 9 \dots 3$

㉗ $25 \div 8 = 3 \dots 1$

㉘ $58 \div 7 = 8 \dots 2$

㉙ $22 \div 4 = 5 \dots 2$

㉚ $66 \div 9 = 7 \dots 3$

㉛ $28 \div 6 = 4 \dots 4$

㉜ $8 \div 7 = 1 \dots 1$

㉝ $49 \div 5 = 9 \dots 4$

㉞ $27 \div 5 = 5 \dots 2$

㉟ $43 \div 5 = 8 \dots 3$

㊱ $7 \div 2 = 3 \dots 1$

㊲ $34 \div 8 = 4 \dots 2$

㊳ $32 \div 5 = 6 \dots 2$

㊴ $68 \div 7 = 9 \dots 5$

㊵ $14 \div 6 = 2 \dots 2$

㊶ $44 \div 6 = 7 \dots 2$

㊷ $46 \div 8 = 5 \dots 6$

㊸ $11 \div 2 = 5 \dots 1$

㊹ $39 \div 7 = 5 \dots 4$

㊺ $15 \div 4 = 3 \dots 3$

㊻ $59 \div 7 = 8 \dots 3$

㊼ $37 \div 4 = 9 \dots 1$

㊽ $65 \div 9 = 7 \dots 2$

㊾ $14 \div 5 = 2 \dots 4$

㊿ $16 \div 7 = 2 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $17 \div 4 = 4 \dots 1$

② $31 \div 6 = 5 \dots 1$

③ $33 \div 6 = 5 \dots 3$

④ $26 \div 3 = 8 \dots 2$

⑤ $33 \div 4 = 8 \dots 1$

⑥ $76 \div 8 = 9 \dots 4$

⑦ $69 \div 7 = 9 \dots 6$

⑧ $9 \div 7 = 1 \dots 2$

⑨ $74 \div 8 = 9 \dots 2$

⑩ $19 \div 7 = 2 \dots 5$

⑪ $55 \div 6 = 9 \dots 1$

⑫ $64 \div 7 = 9 \dots 1$

⑬ $39 \div 5 = 7 \dots 4$

⑭ $25 \div 7 = 3 \dots 4$

⑮ $12 \div 5 = 2 \dots 2$

⑯ $19 \div 5 = 3 \dots 4$

⑰ $39 \div 6 = 6 \dots 3$

⑱ $14 \div 4 = 3 \dots 2$

⑲ $73 \div 8 = 9 \dots 1$

⑳ $46 \div 7 = 6 \dots 4$

㉑ $23 \div 4 = 5 \dots 3$

㉒ $68 \div 9 = 7 \dots 5$

㉓ $5 \div 3 = 1 \dots 2$

㉔ $57 \div 6 = 9 \dots 3$

㉕ $17 \div 6 = 2 \dots 5$

⑳ $77 \div 8 = 9 \dots 5$

㉗ $18 \div 8 = 2 \dots 2$

㉘ $42 \div 8 = 5 \dots 2$

㉙ $38 \div 7 = 5 \dots 3$

㉚ $26 \div 5 = 5 \dots 1$

㉛ $27 \div 4 = 6 \dots 3$

㉜ $9 \div 8 = 1 \dots 1$

㉝ $9 \div 6 = 1 \dots 3$

㉞ $29 \div 8 = 3 \dots 5$

㉟ $56 \div 6 = 9 \dots 2$

㊱ $83 \div 9 = 9 \dots 2$

㊲ $5 \div 4 = 1 \dots 1$

㊳ $9 \div 5 = 1 \dots 4$

㊴ $46 \div 6 = 7 \dots 4$

㊵ $7 \div 4 = 1 \dots 3$

㊶ $89 \div 9 = 9 \dots 8$

㊷ $58 \div 6 = 9 \dots 4$

㊸ $28 \div 5 = 5 \dots 3$

㊹ $19 \div 4 = 4 \dots 3$

㊺ $9 \div 4 = 2 \dots 1$

㊻ $37 \div 5 = 7 \dots 2$

㊼ $27 \div 7 = 3 \dots 6$

㊽ $26 \div 7 = 3 \dots 5$

㊾ $8 \div 5 = 1 \dots 3$

㊿ $33 \div 8 = 4 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $19 \div 9 = 2 \dots 1$

② $49 \div 9 = 5 \dots 4$

③ $88 \div 9 = 9 \dots 7$

④ $35 \div 4 = 8 \dots 3$

⑤ $45 \div 8 = 5 \dots 5$

⑥ $78 \div 9 = 8 \dots 6$

⑦ $49 \div 8 = 6 \dots 1$

⑧ $15 \div 7 = 2 \dots 1$

⑨ $13 \div 3 = 4 \dots 1$

⑩ $7 \div 6 = 1 \dots 1$

⑪ $5 \div 2 = 2 \dots 1$

⑫ $25 \div 3 = 8 \dots 1$

⑬ $17 \div 3 = 5 \dots 2$

⑭ $69 \div 8 = 8 \dots 5$

⑮ $78 \div 8 = 9 \dots 6$

⑯ $28 \div 8 = 3 \dots 4$

⑰ $23 \div 7 = 3 \dots 2$

⑱ $6 \div 4 = 1 \dots 2$

⑲ $34 \div 5 = 6 \dots 4$

⑳ $11 \div 5 = 2 \dots 1$

㉑ $75 \div 9 = 8 \dots 3$

㉒ $64 \div 9 = 7 \dots 1$

㉓ $86 \div 9 = 9 \dots 5$

㉔ $67 \div 8 = 8 \dots 3$

㉕ $19 \div 6 = 3 \dots 1$

⑳ $25 \div 4 = 6 \dots 1$

㉗ $59 \div 9 = 6 \dots 5$

㉘ $57 \div 9 = 6 \dots 3$

㉙ $58 \div 9 = 6 \dots 4$

㉚ $35 \div 6 = 5 \dots 5$

㉛ $37 \div 7 = 5 \dots 2$

㉜ $34 \div 4 = 8 \dots 2$

㉝ $3 \div 2 = 1 \dots 1$

㉞ $31 \div 5 = 6 \dots 1$

㉟ $44 \div 8 = 5 \dots 4$

㊱ $79 \div 8 = 9 \dots 7$

㊲ $19 \div 2 = 9 \dots 1$

㊳ $45 \div 7 = 6 \dots 3$

㊴ $39 \div 4 = 9 \dots 3$

㊵ $46 \div 9 = 5 \dots 1$

㊶ $23 \div 5 = 4 \dots 3$

㊷ $21 \div 5 = 4 \dots 1$

㊸ $38 \div 8 = 4 \dots 6$

㊹ $37 \div 8 = 4 \dots 5$

㊺ $18 \div 4 = 4 \dots 2$

㊻ $24 \div 7 = 3 \dots 3$

㊼ $44 \div 7 = 6 \dots 2$

㊽ $17 \div 7 = 2 \dots 3$

㊾ $69 \div 9 = 7 \dots 6$

㊿ $26 \div 8 = 3 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $29 \div 6 = 4 \dots 5$

② $37 \div 9 = 4 \dots 1$

③ $18 \div 7 = 2 \dots 4$

④ $32 \div 6 = 5 \dots 2$

⑤ $24 \div 5 = 4 \dots 4$

⑥ $14 \div 3 = 4 \dots 2$

⑦ $65 \div 7 = 9 \dots 2$

⑧ $29 \div 4 = 7 \dots 1$

⑨ $15 \div 6 = 2 \dots 3$

⑩ $67 \div 9 = 7 \dots 4$

⑪ $76 \div 9 = 8 \dots 4$

⑫ $17 \div 8 = 2 \dots 1$

⑬ $59 \div 8 = 7 \dots 3$

⑭ $28 \div 9 = 3 \dots 1$

⑮ $38 \div 5 = 7 \dots 3$

⑯ $13 \div 2 = 6 \dots 1$

⑰ $44 \div 5 = 8 \dots 4$

⑱ $82 \div 9 = 9 \dots 1$

⑲ $34 \div 6 = 5 \dots 4$

⑳ $49 \div 6 = 8 \dots 1$

㉑ $29 \div 3 = 9 \dots 2$

㉒ $41 \div 5 = 8 \dots 1$

㉓ $22 \div 7 = 3 \dots 1$

㉔ $77 \div 9 = 8 \dots 5$

㉕ $7 \div 3 = 2 \dots 1$

⑳ $38 \div 4 = 9 \dots 2$

㉗ $17 \div 5 = 3 \dots 2$

㉘ $27 \div 8 = 3 \dots 3$

㉙ $43 \div 7 = 6 \dots 1$

㉚ $37 \div 6 = 6 \dots 1$

㉛ $17 \div 2 = 8 \dots 1$

㉜ $48 \div 7 = 6 \dots 6$

㉝ $47 \div 6 = 7 \dots 5$

㉞ $16 \div 5 = 3 \dots 1$

㉟ $47 \div 7 = 6 \dots 5$

㊱ $15 \div 2 = 7 \dots 1$

㊲ $29 \div 5 = 5 \dots 4$

㊳ $85 \div 9 = 9 \dots 4$

㊴ $43 \div 8 = 5 \dots 3$

㊵ $16 \div 3 = 5 \dots 1$

㊶ $23 \div 3 = 7 \dots 2$

㊷ $33 \div 5 = 6 \dots 3$

㊸ $55 \div 9 = 6 \dots 1$

㊹ $58 \div 8 = 7 \dots 2$

㊺ $35 \div 8 = 4 \dots 3$

㊻ $57 \div 7 = 8 \dots 1$

㊼ $4 \div 3 = 1 \dots 1$

㊽ $47 \div 8 = 5 \dots 7$

㊾ $73 \div 9 = 8 \dots 1$

㊿ $48 \div 9 = 5 \dots 3$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $19 \div 7 = 2 \dots 5$

② $57 \div 7 = 8 \dots 1$

③ $12 \div 5 = 2 \dots 2$

④ $9 \div 6 = 1 \dots 3$

⑤ $69 \div 7 = 9 \dots 6$

⑥ $75 \div 8 = 9 \dots 3$

⑦ $15 \div 2 = 7 \dots 1$

⑧ $15 \div 7 = 2 \dots 1$

⑨ $13 \div 3 = 4 \dots 1$

⑩ $26 \div 6 = 4 \dots 2$

⑪ $76 \div 9 = 8 \dots 4$

⑫ $68 \div 7 = 9 \dots 5$

⑬ $47 \div 9 = 5 \dots 2$

⑭ $78 \div 9 = 8 \dots 6$

⑮ $25 \div 7 = 3 \dots 4$

⑯ $43 \div 6 = 7 \dots 1$

⑰ $5 \div 3 = 1 \dots 2$

⑱ $82 \div 9 = 9 \dots 1$

⑲ $38 \div 7 = 5 \dots 3$

⑳ $21 \div 4 = 5 \dots 1$

㉑ $49 \div 6 = 8 \dots 1$

㉒ $56 \div 9 = 6 \dots 2$

㉓ $83 \div 9 = 9 \dots 2$

㉔ $43 \div 8 = 5 \dots 3$

㉕ $28 \div 5 = 5 \dots 3$

⑳ $37 \div 9 = 4 \dots 1$

㉗ $27 \div 7 = 3 \dots 6$

㉘ $15 \div 4 = 3 \dots 3$

㉙ $49 \div 9 = 5 \dots 4$

㉚ $16 \div 6 = 2 \dots 4$

㉛ $7 \div 5 = 1 \dots 2$

㉜ $18 \div 5 = 3 \dots 3$

㉝ $27 \div 4 = 6 \dots 3$

㉞ $26 \div 8 = 3 \dots 2$

㉟ $47 \div 7 = 6 \dots 5$

㊱ $59 \div 8 = 7 \dots 3$

㊲ $43 \div 5 = 8 \dots 3$

㊳ $9 \div 8 = 1 \dots 1$

㊴ $16 \div 7 = 2 \dots 2$

㊵ $28 \div 9 = 3 \dots 1$

㊶ $17 \div 7 = 2 \dots 3$

㊷ $19 \div 4 = 4 \dots 3$

㊸ $55 \div 6 = 9 \dots 1$

㊹ $36 \div 5 = 7 \dots 1$

㊺ $47 \div 5 = 9 \dots 2$

㊻ $37 \div 7 = 5 \dots 2$

㊼ $57 \div 9 = 6 \dots 3$

㊽ $39 \div 7 = 5 \dots 4$

㊾ $17 \div 5 = 3 \dots 2$

㊿ $44 \div 7 = 6 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $19 \div 3 = 6 \dots 1$

② $22 \div 5 = 4 \dots 2$

③ $38 \div 8 = 4 \dots 6$

④ $57 \div 6 = 9 \dots 3$

⑤ $19 \div 8 = 2 \dots 3$

⑥ $32 \div 6 = 5 \dots 2$

⑦ $7 \div 3 = 2 \dots 1$

⑧ $17 \div 4 = 4 \dots 1$

⑨ $48 \div 5 = 9 \dots 3$

⑩ $58 \div 8 = 7 \dots 2$

⑪ $86 \div 9 = 9 \dots 5$

⑫ $48 \div 7 = 6 \dots 6$

⑬ $39 \div 9 = 4 \dots 3$

⑭ $9 \div 4 = 2 \dots 1$

⑮ $8 \div 6 = 1 \dots 2$

⑯ $8 \div 7 = 1 \dots 1$

⑰ $73 \div 9 = 8 \dots 1$

⑱ $28 \div 3 = 9 \dots 1$

⑲ $36 \div 8 = 4 \dots 4$

⑳ $29 \div 6 = 4 \dots 5$

㉑ $26 \div 3 = 8 \dots 2$

㉒ $78 \div 8 = 9 \dots 6$

㉓ $33 \div 5 = 6 \dots 3$

㉔ $74 \div 8 = 9 \dots 2$

㉕ $9 \div 7 = 1 \dots 2$

⑳ $39 \div 8 = 4 \dots 7$

㉗ $16 \div 3 = 5 \dots 1$

㉘ $77 \div 9 = 8 \dots 5$

㉙ $5 \div 4 = 1 \dots 1$

㉚ $34 \div 5 = 6 \dots 4$

㉛ $25 \div 3 = 8 \dots 1$

㉜ $25 \div 8 = 3 \dots 1$

㉝ $38 \div 9 = 4 \dots 2$

㉞ $14 \div 3 = 4 \dots 2$

㉟ $29 \div 9 = 3 \dots 2$

㊱ $17 \div 2 = 8 \dots 1$

㊲ $13 \div 6 = 2 \dots 1$

㊳ $65 \div 8 = 8 \dots 1$

㊴ $41 \div 8 = 5 \dots 1$

㊵ $6 \div 4 = 1 \dots 2$

㊶ $77 \div 8 = 9 \dots 5$

㊷ $65 \div 7 = 9 \dots 2$

㊸ $46 \div 7 = 6 \dots 4$

㊹ $31 \div 5 = 6 \dots 1$

㊺ $59 \div 7 = 8 \dots 3$

㊻ $66 \div 9 = 7 \dots 3$

㊼ $66 \div 8 = 8 \dots 2$

㊽ $67 \div 7 = 9 \dots 4$

㊾ $22 \div 7 = 3 \dots 1$

㊿ $76 \div 8 = 9 \dots 4$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $44 \div 6 = 7 \dots 2$

② $37 \div 8 = 4 \dots 5$

③ $19 \div 9 = 2 \dots 1$

④ $45 \div 7 = 6 \dots 3$

⑤ $26 \div 7 = 3 \dots 5$

⑥ $17 \div 6 = 2 \dots 5$

⑦ $79 \div 9 = 8 \dots 7$

⑧ $73 \div 8 = 9 \dots 1$

⑨ $88 \div 9 = 9 \dots 7$

⑩ $24 \div 5 = 4 \dots 4$

⑪ $58 \div 9 = 6 \dots 4$

⑫ $13 \div 5 = 2 \dots 3$

⑬ $29 \div 5 = 5 \dots 4$

⑭ $37 \div 6 = 6 \dots 1$

⑮ $46 \div 9 = 5 \dots 1$

⑯ $89 \div 9 = 9 \dots 8$

⑰ $58 \div 7 = 8 \dots 2$

⑱ $37 \div 4 = 9 \dots 1$

⑲ $45 \div 8 = 5 \dots 5$

⑳ $25 \div 6 = 4 \dots 1$

㉑ $28 \div 8 = 3 \dots 4$

㉒ $56 \div 6 = 9 \dots 2$

㉓ $29 \div 4 = 7 \dots 1$

㉔ $19 \div 2 = 9 \dots 1$

㉕ $21 \div 5 = 4 \dots 1$

⑳ $68 \div 8 = 8 \dots 4$

㉗ $34 \div 6 = 5 \dots 4$

㉘ $35 \div 6 = 5 \dots 5$

㉙ $16 \div 5 = 3 \dots 1$

㉚ $14 \div 5 = 2 \dots 4$

㉛ $6 \div 5 = 1 \dots 1$

㉜ $19 \div 6 = 3 \dots 1$

㉝ $7 \div 2 = 3 \dots 1$

㉞ $34 \div 4 = 8 \dots 2$

㉟ $57 \div 8 = 7 \dots 1$

㊱ $22 \div 4 = 5 \dots 2$

㊲ $79 \div 8 = 9 \dots 7$

㊳ $87 \div 9 = 9 \dots 6$

㊴ $69 \div 8 = 8 \dots 5$

㊵ $44 \div 8 = 5 \dots 4$

㊶ $67 \div 9 = 7 \dots 4$

㊷ $27 \div 5 = 5 \dots 2$

㊸ $55 \div 9 = 6 \dots 1$

㊹ $39 \div 4 = 9 \dots 3$

㊺ $59 \div 6 = 9 \dots 5$

㊻ $49 \div 5 = 9 \dots 4$

㊼ $4 \div 3 = 1 \dots 1$

㊽ $42 \div 5 = 8 \dots 2$

㊾ $26 \div 4 = 6 \dots 2$

㊿ $64 \div 9 = 7 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $13 \div 2 = 6 \dots 1$

② $25 \div 4 = 6 \dots 1$

③ $66 \div 7 = 9 \dots 3$

④ $46 \div 6 = 7 \dots 4$

⑤ $18 \div 8 = 2 \dots 2$

⑥ $41 \div 5 = 8 \dots 1$

⑦ $74 \div 9 = 8 \dots 2$

⑧ $38 \div 4 = 9 \dots 2$

⑨ $31 \div 6 = 5 \dots 1$

⑩ $8 \div 5 = 1 \dots 3$

⑪ $69 \div 9 = 7 \dots 6$

⑫ $32 \div 5 = 6 \dots 2$

⑬ $14 \div 4 = 3 \dots 2$

⑭ $29 \div 7 = 4 \dots 1$

⑮ $13 \div 4 = 3 \dots 1$

⑯ $58 \div 6 = 9 \dots 4$

⑰ $19 \div 5 = 3 \dots 4$

⑱ $18 \div 4 = 4 \dots 2$

⑲ $46 \div 8 = 5 \dots 6$

⑳ $68 \div 9 = 7 \dots 5$

㉑ $17 \div 8 = 2 \dots 1$

㉒ $84 \div 9 = 9 \dots 3$

㉓ $35 \div 8 = 4 \dots 3$

㉔ $24 \div 7 = 3 \dots 3$

㉕ $37 \div 5 = 7 \dots 2$

⑳ $43 \div 7 = 6 \dots 1$

㉗ $9 \div 2 = 4 \dots 1$

㉘ $46 \div 5 = 9 \dots 1$

㉙ $26 \div 5 = 5 \dots 1$

㉚ $47 \div 8 = 5 \dots 7$

㉛ $59 \div 9 = 6 \dots 5$

㉜ $38 \div 6 = 6 \dots 2$

㉝ $18 \div 7 = 2 \dots 4$

㉞ $39 \div 6 = 6 \dots 3$

㉟ $29 \div 8 = 3 \dots 5$

㊱ $85 \div 9 = 9 \dots 4$

㊲ $23 \div 5 = 4 \dots 3$

㊳ $44 \div 5 = 8 \dots 4$

㊴ $17 \div 3 = 5 \dots 2$

㊵ $38 \div 5 = 7 \dots 3$

㊶ $29 \div 3 = 9 \dots 2$

㊷ $47 \div 6 = 7 \dots 5$

㊸ $7 \div 6 = 1 \dots 1$

㊹ $33 \div 6 = 5 \dots 3$

㊺ $39 \div 5 = 7 \dots 4$

㊻ $11 \div 2 = 5 \dots 1$

㊼ $33 \div 4 = 8 \dots 1$

㊽ $15 \div 6 = 2 \dots 3$

㊾ $49 \div 8 = 6 \dots 1$

㊿ $23 \div 7 = 3 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $9 \div 8 = 1 \dots 1$

② $18 \div 7 = 2 \dots 4$

③ $23 \div 3 = 7 \dots 2$

④ $35 \div 8 = 4 \dots 3$

⑤ $49 \div 8 = 6 \dots 1$

⑥ $7 \div 2 = 3 \dots 1$

⑦ $89 \div 9 = 9 \dots 8$

⑧ $75 \div 8 = 9 \dots 3$

⑨ $37 \div 4 = 9 \dots 1$

⑩ $76 \div 8 = 9 \dots 4$

⑪ $4 \div 3 = 1 \dots 1$

⑫ $34 \div 4 = 8 \dots 2$

⑬ $19 \div 9 = 2 \dots 1$

⑭ $45 \div 7 = 6 \dots 3$

⑮ $14 \div 6 = 2 \dots 2$

⑯ $42 \div 8 = 5 \dots 2$

⑰ $5 \div 4 = 1 \dots 1$

⑱ $78 \div 9 = 8 \dots 6$

⑲ $15 \div 7 = 2 \dots 1$

⑳ $26 \div 4 = 6 \dots 2$

㉑ $41 \div 8 = 5 \dots 1$

㉒ $77 \div 8 = 9 \dots 5$

㉓ $13 \div 4 = 3 \dots 1$

㉔ $46 \div 6 = 7 \dots 4$

㉕ $7 \div 6 = 1 \dots 1$

⑳ $38 \div 9 = 4 \dots 2$

㉗ $6 \div 4 = 1 \dots 2$

㉘ $34 \div 5 = 6 \dots 4$

㉙ $58 \div 7 = 8 \dots 2$

㉚ $19 \div 8 = 2 \dots 3$

㉛ $48 \div 9 = 5 \dots 3$

㉜ $73 \div 9 = 8 \dots 1$

㉝ $36 \div 8 = 4 \dots 4$

㉞ $38 \div 8 = 4 \dots 6$

㉟ $25 \div 8 = 3 \dots 1$

㊱ $9 \div 7 = 1 \dots 2$

㊲ $58 \div 9 = 6 \dots 4$

㊳ $16 \div 6 = 2 \dots 4$

㊴ $66 \div 9 = 7 \dots 3$

㊵ $29 \div 5 = 5 \dots 4$

㊶ $35 \div 6 = 5 \dots 5$

㊷ $18 \div 8 = 2 \dots 2$

㊸ $27 \div 4 = 6 \dots 3$

㊹ $68 \div 7 = 9 \dots 5$

㊺ $29 \div 3 = 9 \dots 2$

㊻ $38 \div 7 = 5 \dots 3$

㊼ $56 \div 6 = 9 \dots 2$

㊽ $73 \div 8 = 9 \dots 1$

㊾ $49 \div 5 = 9 \dots 4$

㊿ $77 \div 9 = 8 \dots 5$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $69 \div 7 = 9 \dots 6$

② $25 \div 6 = 4 \dots 1$

③ $17 \div 4 = 4 \dots 1$

④ $27 \div 5 = 5 \dots 2$

⑤ $47 \div 9 = 5 \dots 2$

⑥ $23 \div 7 = 3 \dots 2$

⑦ $16 \div 7 = 2 \dots 2$

⑧ $39 \div 6 = 6 \dots 3$

⑨ $21 \div 5 = 4 \dots 1$

⑩ $48 \div 7 = 6 \dots 6$

⑪ $78 \div 8 = 9 \dots 6$

⑫ $15 \div 6 = 2 \dots 3$

⑬ $68 \div 8 = 8 \dots 4$

⑭ $9 \div 2 = 4 \dots 1$

⑮ $19 \div 4 = 4 \dots 3$

⑯ $7 \div 4 = 1 \dots 3$

⑰ $19 \div 2 = 9 \dots 1$

⑱ $39 \div 5 = 7 \dots 4$

⑲ $67 \div 7 = 9 \dots 4$

⑳ $37 \div 8 = 4 \dots 5$

㉑ $27 \div 7 = 3 \dots 6$

㉒ $85 \div 9 = 9 \dots 4$

㉓ $32 \div 6 = 5 \dots 2$

㉔ $19 \div 5 = 3 \dots 4$

㉕ $46 \div 7 = 6 \dots 4$

⑳ $13 \div 3 = 4 \dots 1$

㉗ $17 \div 5 = 3 \dots 2$

㉘ $28 \div 8 = 3 \dots 4$

㉙ $34 \div 6 = 5 \dots 4$

㉚ $26 \div 5 = 5 \dots 1$

㉛ $39 \div 8 = 4 \dots 7$

㉜ $18 \div 4 = 4 \dots 2$

㉝ $64 \div 9 = 7 \dots 1$

㉞ $17 \div 8 = 2 \dots 1$

㉟ $29 \div 7 = 4 \dots 1$

㊱ $43 \div 8 = 5 \dots 3$

㊲ $14 \div 4 = 3 \dots 2$

㊳ $69 \div 8 = 8 \dots 5$

㊴ $46 \div 5 = 9 \dots 1$

㊵ $17 \div 7 = 2 \dots 3$

㊶ $29 \div 6 = 4 \dots 5$

㊷ $33 \div 4 = 8 \dots 1$

㊸ $43 \div 7 = 6 \dots 1$

㊹ $34 \div 8 = 4 \dots 2$

㊺ $86 \div 9 = 9 \dots 5$

㊻ $28 \div 5 = 5 \dots 3$

㊼ $74 \div 9 = 8 \dots 2$

㊽ $17 \div 2 = 8 \dots 1$

㊾ $48 \div 5 = 9 \dots 3$

㊿ $59 \div 6 = 9 \dots 5$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $88 \div 9 = 9 \dots 7$

② $27 \div 6 = 4 \dots 3$

③ $9 \div 5 = 1 \dots 4$

④ $65 \div 9 = 7 \dots 2$

⑤ $15 \div 2 = 7 \dots 1$

⑥ $25 \div 3 = 8 \dots 1$

⑦ $47 \div 5 = 9 \dots 2$

⑧ $22 \div 7 = 3 \dots 1$

⑨ $11 \div 2 = 5 \dots 1$

⑩ $9 \div 6 = 1 \dots 3$

⑪ $9 \div 4 = 2 \dots 1$

⑫ $67 \div 8 = 8 \dots 3$

⑬ $57 \div 7 = 8 \dots 1$

⑭ $55 \div 6 = 9 \dots 1$

⑮ $66 \div 7 = 9 \dots 3$

⑯ $39 \div 4 = 9 \dots 3$

⑰ $7 \div 3 = 2 \dots 1$

⑱ $37 \div 7 = 5 \dots 2$

⑲ $26 \div 3 = 8 \dots 2$

⑳ $87 \div 9 = 9 \dots 6$

㉑ $25 \div 4 = 6 \dots 1$

㉒ $35 \div 4 = 8 \dots 3$

㉓ $49 \div 9 = 5 \dots 4$

㉔ $68 \div 9 = 7 \dots 5$

㉕ $58 \div 8 = 7 \dots 2$

⑳ $47 \div 7 = 6 \dots 5$

㉗ $33 \div 6 = 5 \dots 3$

㉘ $11 \div 5 = 2 \dots 1$

㉙ $57 \div 6 = 9 \dots 3$

㉚ $79 \div 8 = 9 \dots 7$

㉛ $55 \div 9 = 6 \dots 1$

㉜ $26 \div 7 = 3 \dots 5$

㉝ $13 \div 2 = 6 \dots 1$

㉞ $8 \div 7 = 1 \dots 1$

㉟ $36 \div 5 = 7 \dots 1$

㊱ $25 \div 7 = 3 \dots 4$

㊲ $24 \div 7 = 3 \dots 3$

㊳ $23 \div 5 = 4 \dots 3$

㊴ $19 \div 3 = 6 \dots 1$

㊵ $22 \div 3 = 7 \dots 1$

㊶ $14 \div 3 = 4 \dots 2$

㊷ $36 \div 7 = 5 \dots 1$

㊸ $22 \div 5 = 4 \dots 2$

㊹ $79 \div 9 = 8 \dots 7$

㊺ $27 \div 8 = 3 \dots 3$

㊻ $39 \div 7 = 5 \dots 4$

㊼ $49 \div 6 = 8 \dots 1$

㊽ $74 \div 8 = 9 \dots 2$

㊾ $43 \div 6 = 7 \dots 1$

㊿ $47 \div 6 = 7 \dots 5$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $24 \div 5 = 4 \dots 4$

② $58 \div 6 = 9 \dots 4$

③ $22 \div 4 = 5 \dots 2$

④ $23 \div 4 = 5 \dots 3$

⑤ $83 \div 9 = 9 \dots 2$

⑥ $6 \div 5 = 1 \dots 1$

⑦ $31 \div 5 = 6 \dots 1$

⑧ $8 \div 6 = 1 \dots 2$

⑨ $38 \div 4 = 9 \dots 2$

⑩ $44 \div 7 = 6 \dots 2$

⑪ $28 \div 6 = 4 \dots 4$

⑫ $37 \div 9 = 4 \dots 1$

⑬ $21 \div 4 = 5 \dots 1$

⑭ $59 \div 9 = 6 \dots 5$

⑮ $44 \div 8 = 5 \dots 4$

⑯ $44 \div 6 = 7 \dots 2$

⑰ $45 \div 6 = 7 \dots 3$

⑱ $26 \div 8 = 3 \dots 2$

⑲ $12 \div 5 = 2 \dots 2$

⑳ $67 \div 9 = 7 \dots 4$

㉑ $14 \div 5 = 2 \dots 4$

㉒ $31 \div 6 = 5 \dots 1$

㉓ $82 \div 9 = 9 \dots 1$

㉔ $57 \div 8 = 7 \dots 1$

㉕ $39 \div 9 = 4 \dots 3$

⑳ $17 \div 3 = 5 \dots 2$

㉑ $16 \div 5 = 3 \dots 1$

㉒ $69 \div 9 = 7 \dots 6$

㉓ $38 \div 6 = 6 \dots 2$

㉔ $46 \div 8 = 5 \dots 6$

㉕ $13 \div 6 = 2 \dots 1$

㉖ $43 \div 5 = 8 \dots 3$

㉗ $41 \div 5 = 8 \dots 1$

㉘ $16 \div 3 = 5 \dots 1$

㉙ $65 \div 8 = 8 \dots 1$

㉚ $7 \div 5 = 1 \dots 2$

㉛ $65 \div 7 = 9 \dots 2$

㉜ $47 \div 8 = 5 \dots 7$

㉝ $59 \div 7 = 8 \dots 3$

㉞ $29 \div 9 = 3 \dots 2$

㉟ $19 \div 7 = 2 \dots 5$

㊱ $46 \div 9 = 5 \dots 1$

㊲ $66 \div 8 = 8 \dots 2$

㊳ $84 \div 9 = 9 \dots 3$

㊴ $5 \div 3 = 1 \dots 2$

㊵ $38 \div 5 = 7 \dots 3$

㊶ $76 \div 9 = 8 \dots 4$

㊷ $13 \div 5 = 2 \dots 3$

㊸ $8 \div 3 = 2 \dots 2$

㊹ $33 \div 5 = 6 \dots 3$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $35 \div 6 = 5 \dots 5$

② $14 \div 4 = 3 \dots 2$

③ $32 \div 5 = 6 \dots 2$

④ $5 \div 4 = 1 \dots 1$

⑤ $27 \div 4 = 6 \dots 3$

⑥ $14 \div 5 = 2 \dots 4$

⑦ $57 \div 6 = 9 \dots 3$

⑧ $49 \div 9 = 5 \dots 4$

⑨ $27 \div 6 = 4 \dots 3$

⑩ $78 \div 8 = 9 \dots 6$

⑪ $24 \div 7 = 3 \dots 3$

⑫ $17 \div 7 = 2 \dots 3$

⑬ $74 \div 9 = 8 \dots 2$

⑭ $28 \div 5 = 5 \dots 3$

⑮ $87 \div 9 = 9 \dots 6$

⑯ $47 \div 5 = 9 \dots 2$

⑰ $19 \div 7 = 2 \dots 5$

⑱ $27 \div 7 = 3 \dots 6$

⑲ $37 \div 7 = 5 \dots 2$

⑳ $68 \div 9 = 7 \dots 5$

㉑ $56 \div 9 = 6 \dots 2$

㉒ $19 \div 2 = 9 \dots 1$

㉓ $46 \div 5 = 9 \dots 1$

㉔ $29 \div 6 = 4 \dots 5$

㉕ $89 \div 9 = 9 \dots 8$

⑳ $16 \div 3 = 5 \dots 1$

㉗ $5 \div 3 = 1 \dots 2$

㉘ $17 \div 6 = 2 \dots 5$

㉙ $88 \div 9 = 9 \dots 7$

㉚ $7 \div 5 = 1 \dots 2$

㉛ $46 \div 9 = 5 \dots 1$

㉜ $43 \div 5 = 8 \dots 3$

㉝ $41 \div 8 = 5 \dots 1$

㉞ $86 \div 9 = 9 \dots 5$

㉟ $34 \div 6 = 5 \dots 4$

㊱ $19 \div 9 = 2 \dots 1$

㊲ $85 \div 9 = 9 \dots 4$

㊳ $27 \div 8 = 3 \dots 3$

㊴ $74 \div 8 = 9 \dots 2$

㊵ $26 \div 6 = 4 \dots 2$

㊶ $73 \div 9 = 8 \dots 1$

㊷ $13 \div 3 = 4 \dots 1$

㊸ $7 \div 2 = 3 \dots 1$

㊹ $22 \div 5 = 4 \dots 2$

㊺ $9 \div 2 = 4 \dots 1$

㊻ $83 \div 9 = 9 \dots 2$

㊼ $28 \div 8 = 3 \dots 4$

㊽ $43 \div 6 = 7 \dots 1$

㊾ $37 \div 4 = 9 \dots 1$

㊿ $8 \div 6 = 1 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $26 \div 3 = 8 \dots 2$

② $19 \div 8 = 2 \dots 3$

③ $8 \div 5 = 1 \dots 3$

④ $38 \div 5 = 7 \dots 3$

⑤ $39 \div 9 = 4 \dots 3$

⑥ $25 \div 4 = 6 \dots 1$

⑦ $48 \div 7 = 6 \dots 6$

⑧ $8 \div 3 = 2 \dots 2$

⑨ $58 \div 8 = 7 \dots 2$

⑩ $59 \div 9 = 6 \dots 5$

⑪ $36 \div 5 = 7 \dots 1$

⑫ $69 \div 9 = 7 \dots 6$

⑬ $58 \div 6 = 9 \dots 4$

⑭ $67 \div 7 = 9 \dots 4$

⑮ $18 \div 5 = 3 \dots 3$

⑯ $9 \div 4 = 2 \dots 1$

⑰ $21 \div 5 = 4 \dots 1$

⑱ $17 \div 2 = 8 \dots 1$

⑲ $23 \div 3 = 7 \dots 2$

⑳ $47 \div 8 = 5 \dots 7$

㉑ $3 \div 2 = 1 \dots 1$

㉒ $78 \div 9 = 8 \dots 6$

㉓ $18 \div 8 = 2 \dots 2$

㉔ $28 \div 6 = 4 \dots 4$

㉕ $19 \div 6 = 3 \dots 1$

⑳ $5 \div 2 = 2 \dots 1$

㉗ $31 \div 5 = 6 \dots 1$

㉘ $57 \div 7 = 8 \dots 1$

㉙ $67 \div 9 = 7 \dots 4$

㉚ $14 \div 3 = 4 \dots 2$

㉛ $42 \div 8 = 5 \dots 2$

㉜ $25 \div 3 = 8 \dots 1$

㉝ $16 \div 7 = 2 \dots 2$

㉞ $38 \div 4 = 9 \dots 2$

㉟ $77 \div 8 = 9 \dots 5$

㊱ $49 \div 6 = 8 \dots 1$

㊲ $57 \div 9 = 6 \dots 3$

㊳ $22 \div 3 = 7 \dots 1$

㊴ $16 \div 5 = 3 \dots 1$

㊵ $35 \div 4 = 8 \dots 3$

㊶ $13 \div 2 = 6 \dots 1$

㊷ $39 \div 4 = 9 \dots 3$

㊸ $73 \div 8 = 9 \dots 1$

㊹ $8 \div 7 = 1 \dots 1$

㊺ $7 \div 3 = 2 \dots 1$

㊻ $29 \div 8 = 3 \dots 5$

㊼ $44 \div 6 = 7 \dots 2$

㊽ $26 \div 8 = 3 \dots 2$

㊾ $19 \div 3 = 6 \dots 1$

㊿ $68 \div 8 = 8 \dots 4$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $34 \div 5 = 6 \dots 4$

② $47 \div 6 = 7 \dots 5$

③ $18 \div 7 = 2 \dots 4$

④ $38 \div 9 = 4 \dots 2$

⑤ $48 \div 9 = 5 \dots 3$

⑥ $33 \div 5 = 6 \dots 3$

⑦ $4 \div 3 = 1 \dots 1$

⑧ $84 \div 9 = 9 \dots 3$

⑨ $66 \div 9 = 7 \dots 3$

⑩ $25 \div 7 = 3 \dots 4$

⑪ $28 \div 3 = 9 \dots 1$

⑫ $36 \div 7 = 5 \dots 1$

⑬ $44 \div 5 = 8 \dots 4$

⑭ $59 \div 7 = 8 \dots 3$

⑮ $22 \div 4 = 5 \dots 2$

⑯ $42 \div 5 = 8 \dots 2$

⑰ $34 \div 8 = 4 \dots 2$

⑱ $27 \div 5 = 5 \dots 2$

⑲ $13 \div 4 = 3 \dots 1$

⑳ $69 \div 7 = 9 \dots 6$

㉑ $13 \div 6 = 2 \dots 1$

㉒ $23 \div 5 = 4 \dots 3$

㉓ $7 \div 6 = 1 \dots 1$

㉔ $26 \div 5 = 5 \dots 1$

㉕ $49 \div 5 = 9 \dots 4$

⑳ $75 \div 8 = 9 \dots 3$

㉗ $9 \div 8 = 1 \dots 1$

㉘ $49 \div 8 = 6 \dots 1$

㉙ $38 \div 7 = 5 \dots 3$

㉚ $46 \div 7 = 6 \dots 4$

㉛ $79 \div 8 = 9 \dots 7$

㉜ $14 \div 6 = 2 \dots 2$

㉝ $7 \div 4 = 1 \dots 3$

㉞ $47 \div 7 = 6 \dots 5$

㉟ $44 \div 8 = 5 \dots 4$

㊱ $17 \div 8 = 2 \dots 1$

㊲ $28 \div 9 = 3 \dots 1$

㊳ $66 \div 8 = 8 \dots 2$

㊴ $33 \div 6 = 5 \dots 3$

㊵ $26 \div 4 = 6 \dots 2$

㊶ $39 \div 8 = 4 \dots 7$

㊷ $9 \div 7 = 1 \dots 2$

㊸ $65 \div 7 = 9 \dots 2$

㊹ $25 \div 6 = 4 \dots 1$

㊺ $19 \div 4 = 4 \dots 3$

㊻ $64 \div 7 = 9 \dots 1$

㊼ $43 \div 8 = 5 \dots 3$

㊽ $46 \div 8 = 5 \dots 6$

㊾ $12 \div 5 = 2 \dots 2$

㊿ $15 \div 2 = 7 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $55 \div 6 = 9 \dots 1$

② $23 \div 7 = 3 \dots 2$

③ $18 \div 4 = 4 \dots 2$

④ $26 \div 7 = 3 \dots 5$

⑤ $47 \div 9 = 5 \dots 2$

⑥ $41 \div 5 = 8 \dots 1$

⑦ $17 \div 3 = 5 \dots 2$

⑧ $79 \div 9 = 8 \dots 7$

⑨ $77 \div 9 = 8 \dots 5$

⑩ $45 \div 6 = 7 \dots 3$

⑪ $16 \div 6 = 2 \dots 4$

⑫ $19 \div 5 = 3 \dots 4$

⑬ $67 \div 8 = 8 \dots 3$

⑭ $32 \div 6 = 5 \dots 2$

⑮ $37 \div 8 = 4 \dots 5$

⑯ $31 \div 6 = 5 \dots 1$

⑰ $56 \div 6 = 9 \dots 2$

⑱ $36 \div 8 = 4 \dots 4$

⑲ $82 \div 9 = 9 \dots 1$

⑳ $48 \div 5 = 9 \dots 3$

㉑ $76 \div 8 = 9 \dots 4$

㉒ $39 \div 6 = 6 \dots 3$

㉓ $39 \div 5 = 7 \dots 4$

㉔ $9 \div 5 = 1 \dots 4$

㉕ $39 \div 7 = 5 \dots 4$

⑳ $45 \div 7 = 6 \dots 3$

㉗ $69 \div 8 = 8 \dots 5$

㉘ $37 \div 9 = 4 \dots 1$

㉙ $59 \div 6 = 9 \dots 5$

㉚ $66 \div 7 = 9 \dots 3$

㉛ $37 \div 6 = 6 \dots 1$

㉜ $17 \div 5 = 3 \dots 2$

㉝ $29 \div 7 = 4 \dots 1$

㉞ $64 \div 9 = 7 \dots 1$

㉟ $29 \div 4 = 7 \dots 1$

㊱ $21 \div 4 = 5 \dots 1$

㊲ $15 \div 4 = 3 \dots 3$

㊳ $57 \div 8 = 7 \dots 1$

㊴ $33 \div 8 = 4 \dots 1$

㊵ $29 \div 9 = 3 \dots 2$

㊶ $44 \div 7 = 6 \dots 2$

㊷ $35 \div 8 = 4 \dots 3$

㊸ $58 \div 7 = 8 \dots 2$

㊹ $34 \div 4 = 8 \dots 2$

㊺ $55 \div 9 = 6 \dots 1$

㊻ $75 \div 9 = 8 \dots 3$

㊼ $13 \div 5 = 2 \dots 3$

㊽ $65 \div 8 = 8 \dots 1$

㊾ $15 \div 7 = 2 \dots 1$

㊿ $33 \div 4 = 8 \dots 1$