

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $9 \div 2 = 4 \dots 1$

② $76 \div 9 = 8 \dots 4$

③ $35 \div 4 = 8 \dots 3$

④ $16 \div 7 = 2 \dots 2$

⑤ $21 \div 5 = 4 \dots 1$

⑥ $17 \div 4 = 4 \dots 1$

⑦ $65 \div 7 = 9 \dots 2$

⑧ $39 \div 9 = 4 \dots 3$

⑨ $42 \div 5 = 8 \dots 2$

⑩ $59 \div 9 = 6 \dots 5$

⑪ $26 \div 4 = 6 \dots 2$

⑫ $78 \div 8 = 9 \dots 6$

⑬ $64 \div 9 = 7 \dots 1$

⑭ $17 \div 3 = 5 \dots 2$

⑮ $45 \div 8 = 5 \dots 5$

⑯ $28 \div 8 = 3 \dots 4$

⑰ $22 \div 4 = 5 \dots 2$

⑱ $38 \div 4 = 9 \dots 2$

⑲ $59 \div 8 = 7 \dots 3$

⑳ $14 \div 3 = 4 \dots 2$

㉑ $7 \div 4 = 1 \dots 3$

㉒ $19 \div 8 = 2 \dots 3$

㉓ $29 \div 6 = 4 \dots 5$

㉔ $8 \div 5 = 1 \dots 3$

㉕ $23 \div 7 = 3 \dots 2$

⑳ $36 \div 8 = 4 \dots 4$

㉗ $58 \div 9 = 6 \dots 4$

㉘ $68 \div 7 = 9 \dots 5$

㉙ $37 \div 5 = 7 \dots 2$

㉚ $5 \div 2 = 2 \dots 1$

㉛ $6 \div 5 = 1 \dots 1$

㉜ $44 \div 8 = 5 \dots 4$

㉝ $17 \div 2 = 8 \dots 1$

㉞ $36 \div 7 = 5 \dots 1$

㉟ $27 \div 8 = 3 \dots 3$

㊱ $79 \div 9 = 8 \dots 7$

㊲ $44 \div 6 = 7 \dots 2$

㊳ $66 \div 8 = 8 \dots 2$

㊴ $18 \div 4 = 4 \dots 2$

㊵ $67 \div 9 = 7 \dots 4$

㊶ $27 \div 6 = 4 \dots 3$

㊷ $28 \div 9 = 3 \dots 1$

㊸ $55 \div 9 = 6 \dots 1$

㊹ $38 \div 7 = 5 \dots 3$

㊺ $49 \div 9 = 5 \dots 4$

㊻ $36 \div 5 = 7 \dots 1$

㊼ $47 \div 7 = 6 \dots 5$

㊽ $14 \div 4 = 3 \dots 2$

㊾ $39 \div 4 = 9 \dots 3$

㊿ $74 \div 8 = 9 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $28 \div 3 = 9 \dots 1$

② $69 \div 9 = 7 \dots 6$

③ $13 \div 5 = 2 \dots 3$

④ $34 \div 4 = 8 \dots 2$

⑤ $43 \div 6 = 7 \dots 1$

⑥ $21 \div 4 = 5 \dots 1$

⑦ $29 \div 4 = 7 \dots 1$

⑧ $89 \div 9 = 9 \dots 8$

⑨ $37 \div 4 = 9 \dots 1$

⑩ $25 \div 6 = 4 \dots 1$

⑪ $9 \div 5 = 1 \dots 4$

⑫ $26 \div 3 = 8 \dots 2$

⑬ $13 \div 4 = 3 \dots 1$

⑭ $8 \div 3 = 2 \dots 2$

⑮ $22 \div 5 = 4 \dots 2$

⑯ $29 \div 5 = 5 \dots 4$

⑰ $31 \div 5 = 6 \dots 1$

⑱ $17 \div 5 = 3 \dots 2$

⑲ $15 \div 7 = 2 \dots 1$

⑳ $29 \div 3 = 9 \dots 2$

㉑ $38 \div 6 = 6 \dots 2$

㉒ $7 \div 3 = 2 \dots 1$

㉓ $41 \div 8 = 5 \dots 1$

㉔ $26 \div 5 = 5 \dots 1$

㉕ $77 \div 9 = 8 \dots 5$

⑳ $34 \div 6 = 5 \dots 4$

㉗ $68 \div 9 = 7 \dots 5$

㉘ $13 \div 2 = 6 \dots 1$

㉙ $37 \div 6 = 6 \dots 1$

㉚ $19 \div 7 = 2 \dots 5$

㉛ $19 \div 2 = 9 \dots 1$

㉜ $13 \div 6 = 2 \dots 1$

㉝ $26 \div 6 = 4 \dots 2$

㉞ $65 \div 9 = 7 \dots 2$

㉟ $59 \div 7 = 8 \dots 3$

㊱ $39 \div 7 = 5 \dots 4$

㊲ $73 \div 9 = 8 \dots 1$

㊳ $23 \div 4 = 5 \dots 3$

㊴ $74 \div 9 = 8 \dots 2$

㊵ $23 \div 5 = 4 \dots 3$

㊶ $37 \div 8 = 4 \dots 5$

㊷ $46 \div 6 = 7 \dots 4$

㊸ $18 \div 8 = 2 \dots 2$

㊹ $3 \div 2 = 1 \dots 1$

㊺ $57 \div 7 = 8 \dots 1$

㊻ $57 \div 9 = 6 \dots 3$

㊼ $23 \div 3 = 7 \dots 2$

㊽ $29 \div 8 = 3 \dots 5$

㊾ $35 \div 6 = 5 \dots 5$

㊿ $68 \div 8 = 8 \dots 4$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $85 \div 9 = 9 \dots 4$

② $58 \div 8 = 7 \dots 2$

③ $64 \div 7 = 9 \dots 1$

④ $56 \div 9 = 6 \dots 2$

⑤ $33 \div 6 = 5 \dots 3$

⑥ $65 \div 8 = 8 \dots 1$

⑦ $25 \div 7 = 3 \dots 4$

⑧ $13 \div 3 = 4 \dots 1$

⑨ $57 \div 6 = 9 \dots 3$

⑩ $49 \div 6 = 8 \dots 1$

⑪ $25 \div 3 = 8 \dots 1$

⑫ $77 \div 8 = 9 \dots 5$

⑬ $43 \div 8 = 5 \dots 3$

⑭ $47 \div 5 = 9 \dots 2$

⑮ $43 \div 5 = 8 \dots 3$

⑯ $26 \div 7 = 3 \dots 5$

⑰ $7 \div 2 = 3 \dots 1$

⑱ $29 \div 7 = 4 \dots 1$

⑲ $55 \div 6 = 9 \dots 1$

⑳ $75 \div 9 = 8 \dots 3$

㉑ $11 \div 2 = 5 \dots 1$

㉒ $9 \div 6 = 1 \dots 3$

㉓ $59 \div 6 = 9 \dots 5$

㉔ $17 \div 7 = 2 \dots 3$

㉕ $82 \div 9 = 9 \dots 1$

⑳ $25 \div 8 = 3 \dots 1$

㉑ $48 \div 9 = 5 \dots 3$

㉒ $78 \div 9 = 8 \dots 6$

㉓ $42 \div 8 = 5 \dots 2$

㉔ $28 \div 5 = 5 \dots 3$

㉕ $7 \div 5 = 1 \dots 2$

㉖ $73 \div 8 = 9 \dots 1$

㉗ $27 \div 7 = 3 \dots 6$

㉘ $48 \div 5 = 9 \dots 3$

㉙ $47 \div 8 = 5 \dots 7$

㉚ $29 \div 9 = 3 \dots 2$

㉛ $44 \div 7 = 6 \dots 2$

㉜ $27 \div 5 = 5 \dots 2$

㉝ $19 \div 3 = 6 \dots 1$

㉞ $14 \div 5 = 2 \dots 4$

㉟ $67 \div 7 = 9 \dots 4$

㊱ $16 \div 5 = 3 \dots 1$

㊲ $75 \div 8 = 9 \dots 3$

㊳ $38 \div 8 = 4 \dots 6$

㊴ $17 \div 6 = 2 \dots 5$

㊵ $9 \div 8 = 1 \dots 1$

㊶ $69 \div 8 = 8 \dots 5$

㊷ $15 \div 6 = 2 \dots 3$

㊸ $14 \div 6 = 2 \dots 2$

㊹ $41 \div 5 = 8 \dots 1$

わり算 [2]

内容

余りを求めるのに

繰り下がりの引き算が必要でないわり算問題の答え

① $24 \div 7 = 3 \dots 3$

② $46 \div 7 = 6 \dots 4$

③ $87 \div 9 = 9 \dots 6$

④ $5 \div 4 = 1 \dots 1$

⑤ $37 \div 9 = 4 \dots 1$

⑥ $28 \div 6 = 4 \dots 4$

⑦ $69 \div 7 = 9 \dots 6$

⑧ $8 \div 7 = 1 \dots 1$

⑨ $7 \div 6 = 1 \dots 1$

⑩ $49 \div 8 = 6 \dots 1$

⑪ $34 \div 5 = 6 \dots 4$

⑫ $17 \div 8 = 2 \dots 1$

⑬ $47 \div 6 = 7 \dots 5$

⑭ $22 \div 3 = 7 \dots 1$

⑮ $19 \div 4 = 4 \dots 3$

⑯ $24 \div 5 = 4 \dots 4$

⑰ $12 \div 5 = 2 \dots 2$

⑱ $4 \div 3 = 1 \dots 1$

⑲ $19 \div 9 = 2 \dots 1$

⑳ $86 \div 9 = 9 \dots 5$

㉑ $15 \div 2 = 7 \dots 1$

㉒ $33 \div 4 = 8 \dots 1$

㉓ $22 \div 7 = 3 \dots 1$

㉔ $18 \div 7 = 2 \dots 4$

㉕ $39 \div 5 = 7 \dots 4$

⑳ $19 \div 6 = 3 \dots 1$

㉗ $46 \div 5 = 9 \dots 1$

㉘ $8 \div 6 = 1 \dots 2$

㉙ $26 \div 8 = 3 \dots 2$

㉚ $45 \div 6 = 7 \dots 3$

㉛ $38 \div 5 = 7 \dots 3$

㉜ $16 \div 6 = 2 \dots 4$

㉝ $43 \div 7 = 6 \dots 1$

㉞ $32 \div 6 = 5 \dots 2$

㉟ $9 \div 7 = 1 \dots 2$

㊱ $66 \div 9 = 7 \dots 3$

㊲ $35 \div 8 = 4 \dots 3$

㊳ $37 \div 7 = 5 \dots 2$

㊴ $66 \div 7 = 9 \dots 3$

㊵ $18 \div 5 = 3 \dots 3$

㊶ $67 \div 8 = 8 \dots 3$

㊷ $84 \div 9 = 9 \dots 3$

㊸ $11 \div 5 = 2 \dots 1$

㊹ $38 \div 9 = 4 \dots 2$

㊺ $76 \div 8 = 9 \dots 4$

㊻ $27 \div 4 = 6 \dots 3$

㊼ $48 \div 7 = 6 \dots 6$

㊽ $56 \div 6 = 9 \dots 2$

㊾ $9 \div 4 = 2 \dots 1$

㊿ $25 \div 4 = 6 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $68 \div 9 = 7 \dots 5$

② $58 \div 6 = 9 \dots 4$

③ $47 \div 8 = 5 \dots 7$

④ $48 \div 7 = 6 \dots 6$

⑤ $29 \div 8 = 3 \dots 5$

⑥ $42 \div 8 = 5 \dots 2$

⑦ $58 \div 9 = 6 \dots 4$

⑧ $17 \div 2 = 8 \dots 1$

⑨ $64 \div 7 = 9 \dots 1$

⑩ $22 \div 7 = 3 \dots 1$

⑪ $7 \div 2 = 3 \dots 1$

⑫ $7 \div 4 = 1 \dots 3$

⑬ $86 \div 9 = 9 \dots 5$

⑭ $47 \div 6 = 7 \dots 5$

⑮ $59 \div 8 = 7 \dots 3$

⑯ $27 \div 5 = 5 \dots 2$

⑰ $8 \div 6 = 1 \dots 2$

⑱ $17 \div 3 = 5 \dots 2$

⑲ $75 \div 9 = 8 \dots 3$

⑳ $84 \div 9 = 9 \dots 3$

㉑ $78 \div 8 = 9 \dots 6$

㉒ $8 \div 3 = 2 \dots 2$

㉓ $15 \div 4 = 3 \dots 3$

㉔ $34 \div 6 = 5 \dots 4$

㉕ $39 \div 9 = 4 \dots 3$

⑳ $57 \div 8 = 7 \dots 1$

㉗ $14 \div 3 = 4 \dots 2$

㉘ $66 \div 8 = 8 \dots 2$

㉙ $19 \div 4 = 4 \dots 3$

㉚ $48 \div 5 = 9 \dots 3$

㉛ $38 \div 6 = 6 \dots 2$

㉜ $49 \div 5 = 9 \dots 4$

㉝ $19 \div 7 = 2 \dots 5$

㉞ $41 \div 8 = 5 \dots 1$

㉟ $9 \div 6 = 1 \dots 3$

㊱ $77 \div 9 = 8 \dots 5$

㊲ $29 \div 5 = 5 \dots 4$

㊳ $43 \div 8 = 5 \dots 3$

㊴ $9 \div 7 = 1 \dots 2$

㊵ $37 \div 4 = 9 \dots 1$

㊶ $9 \div 2 = 4 \dots 1$

㊷ $74 \div 8 = 9 \dots 2$

㊸ $25 \div 3 = 8 \dots 1$

㊹ $65 \div 8 = 8 \dots 1$

㊺ $22 \div 3 = 7 \dots 1$

㊻ $46 \div 7 = 6 \dots 4$

㊼ $43 \div 7 = 6 \dots 1$

㊽ $56 \div 6 = 9 \dots 2$

㊾ $37 \div 6 = 6 \dots 1$

㊿ $67 \div 9 = 7 \dots 4$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $39 \div 4 = 9 \dots 3$

② $8 \div 7 = 1 \dots 1$

③ $79 \div 8 = 9 \dots 7$

④ $29 \div 3 = 9 \dots 2$

⑤ $6 \div 4 = 1 \dots 2$

⑥ $58 \div 8 = 7 \dots 2$

⑦ $22 \div 4 = 5 \dots 2$

⑧ $19 \div 9 = 2 \dots 1$

⑨ $65 \div 7 = 9 \dots 2$

⑩ $38 \div 7 = 5 \dots 3$

⑪ $41 \div 5 = 8 \dots 1$

⑫ $13 \div 5 = 2 \dots 3$

⑬ $45 \div 8 = 5 \dots 5$

⑭ $46 \div 8 = 5 \dots 6$

⑮ $43 \div 6 = 7 \dots 1$

⑯ $25 \div 6 = 4 \dots 1$

⑰ $5 \div 2 = 2 \dots 1$

⑱ $15 \div 6 = 2 \dots 3$

⑲ $43 \div 5 = 8 \dots 3$

⑳ $3 \div 2 = 1 \dots 1$

㉑ $19 \div 6 = 3 \dots 1$

㉒ $36 \div 7 = 5 \dots 1$

㉓ $16 \div 3 = 5 \dots 1$

㉔ $36 \div 5 = 7 \dots 1$

㉕ $44 \div 5 = 8 \dots 4$

⑳ $68 \div 8 = 8 \dots 4$

㉗ $22 \div 5 = 4 \dots 2$

㉘ $55 \div 9 = 6 \dots 1$

㉙ $32 \div 5 = 6 \dots 2$

㉚ $26 \div 8 = 3 \dots 2$

㉛ $47 \div 7 = 6 \dots 5$

㉜ $47 \div 5 = 9 \dots 2$

㉝ $38 \div 4 = 9 \dots 2$

㉞ $13 \div 2 = 6 \dots 1$

㉟ $36 \div 8 = 4 \dots 4$

㊱ $32 \div 6 = 5 \dots 2$

㊲ $16 \div 6 = 2 \dots 4$

㊳ $49 \div 8 = 6 \dots 1$

㊴ $34 \div 8 = 4 \dots 2$

㊵ $25 \div 7 = 3 \dots 4$

㊶ $75 \div 8 = 9 \dots 3$

㊷ $39 \div 5 = 7 \dots 4$

㊸ $13 \div 4 = 3 \dots 1$

㊹ $39 \div 6 = 6 \dots 3$

㊺ $24 \div 7 = 3 \dots 3$

㊻ $37 \div 7 = 5 \dots 2$

㊼ $37 \div 9 = 4 \dots 1$

㊽ $78 \div 9 = 8 \dots 6$

㊾ $13 \div 6 = 2 \dots 1$

㊿ $59 \div 7 = 8 \dots 3$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $45 \div 6 = 7 \dots 3$

② $21 \div 4 = 5 \dots 1$

③ $88 \div 9 = 9 \dots 7$

④ $67 \div 8 = 8 \dots 3$

⑤ $37 \div 8 = 4 \dots 5$

⑥ $65 \div 9 = 7 \dots 2$

⑦ $49 \div 6 = 8 \dots 1$

⑧ $38 \div 9 = 4 \dots 2$

⑨ $9 \div 4 = 2 \dots 1$

⑩ $48 \div 9 = 5 \dots 3$

⑪ $83 \div 9 = 9 \dots 2$

⑫ $17 \div 6 = 2 \dots 5$

⑬ $57 \div 6 = 9 \dots 3$

⑭ $23 \div 7 = 3 \dots 2$

⑮ $14 \div 4 = 3 \dots 2$

⑯ $64 \div 9 = 7 \dots 1$

⑰ $28 \div 3 = 9 \dots 1$

⑱ $46 \div 5 = 9 \dots 1$

⑲ $89 \div 9 = 9 \dots 8$

⑳ $44 \div 6 = 7 \dots 2$

㉑ $9 \div 5 = 1 \dots 4$

㉒ $4 \div 3 = 1 \dots 1$

㉓ $15 \div 7 = 2 \dots 1$

㉔ $33 \div 4 = 8 \dots 1$

㉕ $21 \div 5 = 4 \dots 1$

⑳ $35 \div 6 = 5 \dots 5$

㉗ $44 \div 7 = 6 \dots 2$

㉘ $69 \div 8 = 8 \dots 5$

㉙ $58 \div 7 = 8 \dots 2$

㉚ $34 \div 5 = 6 \dots 4$

㉛ $7 \div 6 = 1 \dots 1$

㉜ $82 \div 9 = 9 \dots 1$

㉝ $18 \div 4 = 4 \dots 2$

㉞ $9 \div 8 = 1 \dots 1$

㉟ $24 \div 5 = 4 \dots 4$

㊱ $14 \div 5 = 2 \dots 4$

㊲ $69 \div 9 = 7 \dots 6$

㊳ $18 \div 8 = 2 \dots 2$

㊴ $29 \div 9 = 3 \dots 2$

㊵ $15 \div 2 = 7 \dots 1$

㊶ $38 \div 8 = 4 \dots 6$

㊷ $27 \div 8 = 3 \dots 3$

㊸ $17 \div 7 = 2 \dots 3$

㊹ $26 \div 5 = 5 \dots 1$

㊺ $14 \div 6 = 2 \dots 2$

㊻ $66 \div 7 = 9 \dots 3$

㊼ $38 \div 5 = 7 \dots 3$

㊽ $26 \div 6 = 4 \dots 2$

㊾ $85 \div 9 = 9 \dots 4$

㊿ $46 \div 9 = 5 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $35 \div 4 = 8 \dots 3$

② $33 \div 6 = 5 \dots 3$

③ $27 \div 6 = 4 \dots 3$

④ $69 \div 7 = 9 \dots 6$

⑤ $11 \div 5 = 2 \dots 1$

⑥ $87 \div 9 = 9 \dots 6$

⑦ $66 \div 9 = 7 \dots 3$

⑧ $76 \div 9 = 8 \dots 4$

⑨ $11 \div 2 = 5 \dots 1$

⑩ $33 \div 8 = 4 \dots 1$

⑪ $67 \div 7 = 9 \dots 4$

⑫ $56 \div 9 = 6 \dots 2$

⑬ $31 \div 6 = 5 \dots 1$

⑭ $57 \div 9 = 6 \dots 3$

⑮ $7 \div 3 = 2 \dots 1$

⑯ $79 \div 9 = 8 \dots 7$

⑰ $28 \div 6 = 4 \dots 4$

⑱ $25 \div 8 = 3 \dots 1$

⑲ $26 \div 4 = 6 \dots 2$

⑳ $26 \div 3 = 8 \dots 2$

㉑ $5 \div 4 = 1 \dots 1$

㉒ $44 \div 8 = 5 \dots 4$

㉓ $49 \div 9 = 5 \dots 4$

㉔ $29 \div 4 = 7 \dots 1$

㉕ $27 \div 4 = 6 \dots 3$

⑳ $17 \div 4 = 4 \dots 1$

㉗ $5 \div 3 = 1 \dots 2$

㉘ $76 \div 8 = 9 \dots 4$

㉙ $73 \div 8 = 9 \dots 1$

㉚ $34 \div 4 = 8 \dots 2$

㉛ $33 \div 5 = 6 \dots 3$

㉜ $28 \div 8 = 3 \dots 4$

㉝ $18 \div 5 = 3 \dots 3$

㉞ $59 \div 9 = 6 \dots 5$

㉟ $6 \div 5 = 1 \dots 1$

㊱ $19 \div 3 = 6 \dots 1$

㊲ $26 \div 7 = 3 \dots 5$

㊳ $31 \div 5 = 6 \dots 1$

㊴ $19 \div 2 = 9 \dots 1$

㊵ $59 \div 6 = 9 \dots 5$

㊶ $23 \div 5 = 4 \dots 3$

㊷ $19 \div 8 = 2 \dots 3$

㊸ $29 \div 7 = 4 \dots 1$

㊹ $77 \div 8 = 9 \dots 5$

㊺ $23 \div 4 = 5 \dots 3$

㊻ $7 \div 5 = 1 \dots 2$

㊼ $19 \div 5 = 3 \dots 4$

㊽ $27 \div 7 = 3 \dots 6$

㊾ $68 \div 7 = 9 \dots 5$

㊿ $47 \div 9 = 5 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $38 \div 7 = 5 \dots 3$

② $19 \div 8 = 2 \dots 3$

③ $17 \div 7 = 2 \dots 3$

④ $59 \div 6 = 9 \dots 5$

⑤ $79 \div 8 = 9 \dots 7$

⑥ $25 \div 3 = 8 \dots 1$

⑦ $7 \div 6 = 1 \dots 1$

⑧ $33 \div 6 = 5 \dots 3$

⑨ $47 \div 7 = 6 \dots 5$

⑩ $15 \div 7 = 2 \dots 1$

⑪ $73 \div 8 = 9 \dots 1$

⑫ $34 \div 5 = 6 \dots 4$

⑬ $21 \div 4 = 5 \dots 1$

⑭ $45 \div 8 = 5 \dots 5$

⑮ $56 \div 9 = 6 \dots 2$

⑯ $79 \div 9 = 8 \dots 7$

⑰ $27 \div 6 = 4 \dots 3$

⑱ $17 \div 3 = 5 \dots 2$

⑲ $22 \div 3 = 7 \dots 1$

⑳ $8 \div 6 = 1 \dots 2$

㉑ $17 \div 2 = 8 \dots 1$

㉒ $73 \div 9 = 8 \dots 1$

㉓ $27 \div 4 = 6 \dots 3$

㉔ $39 \div 6 = 6 \dots 3$

㉕ $29 \div 8 = 3 \dots 5$

⑳ $5 \div 3 = 1 \dots 2$

㉗ $76 \div 9 = 8 \dots 4$

㉘ $28 \div 5 = 5 \dots 3$

㉙ $5 \div 2 = 2 \dots 1$

㉚ $28 \div 8 = 3 \dots 4$

㉛ $66 \div 7 = 9 \dots 3$

㉜ $34 \div 6 = 5 \dots 4$

㉝ $17 \div 6 = 2 \dots 5$

㉞ $68 \div 7 = 9 \dots 5$

㉟ $8 \div 5 = 1 \dots 3$

㊱ $58 \div 6 = 9 \dots 4$

㊲ $37 \div 5 = 7 \dots 2$

㊳ $69 \div 9 = 7 \dots 6$

㊴ $37 \div 6 = 6 \dots 1$

㊵ $86 \div 9 = 9 \dots 5$

㊶ $37 \div 9 = 4 \dots 1$

㊷ $66 \div 8 = 8 \dots 2$

㊸ $25 \div 8 = 3 \dots 1$

㊹ $17 \div 8 = 2 \dots 1$

㊺ $26 \div 8 = 3 \dots 2$

㊻ $39 \div 7 = 5 \dots 4$

㊼ $38 \div 9 = 4 \dots 2$

㊽ $38 \div 6 = 6 \dots 2$

㊾ $37 \div 4 = 9 \dots 1$

㊿ $7 \div 2 = 3 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $76 \div 8 = 9 \dots 4$

② $47 \div 6 = 7 \dots 5$

③ $9 \div 4 = 2 \dots 1$

④ $75 \div 9 = 8 \dots 3$

⑤ $29 \div 3 = 9 \dots 2$

⑥ $78 \div 8 = 9 \dots 6$

⑦ $14 \div 6 = 2 \dots 2$

⑧ $85 \div 9 = 9 \dots 4$

⑨ $69 \div 7 = 9 \dots 6$

⑩ $6 \div 5 = 1 \dots 1$

⑪ $26 \div 6 = 4 \dots 2$

⑫ $25 \div 7 = 3 \dots 4$

⑬ $5 \div 4 = 1 \dots 1$

⑭ $12 \div 5 = 2 \dots 2$

⑮ $32 \div 5 = 6 \dots 2$

⑯ $13 \div 5 = 2 \dots 3$

⑰ $64 \div 7 = 9 \dots 1$

⑱ $74 \div 9 = 8 \dots 2$

⑲ $84 \div 9 = 9 \dots 3$

⑳ $82 \div 9 = 9 \dots 1$

㉑ $43 \div 6 = 7 \dots 1$

㉒ $77 \div 8 = 9 \dots 5$

㉓ $48 \div 9 = 5 \dots 3$

㉔ $18 \div 5 = 3 \dots 3$

㉕ $16 \div 3 = 5 \dots 1$

⑳ $59 \div 8 = 7 \dots 3$

㉑ $88 \div 9 = 9 \dots 7$

㉒ $7 \div 5 = 1 \dots 2$

㉓ $39 \div 5 = 7 \dots 4$

㉔ $42 \div 5 = 8 \dots 2$

㉕ $23 \div 3 = 7 \dots 2$

㉖ $3 \div 2 = 1 \dots 1$

㉗ $38 \div 8 = 4 \dots 6$

㉘ $9 \div 6 = 1 \dots 3$

㉙ $39 \div 4 = 9 \dots 3$

㉚ $29 \div 9 = 3 \dots 2$

㉛ $38 \div 4 = 9 \dots 2$

㉜ $32 \div 6 = 5 \dots 2$

㉝ $29 \div 6 = 4 \dots 5$

㉞ $13 \div 6 = 2 \dots 1$

㉟ $33 \div 8 = 4 \dots 1$

㊱ $44 \div 8 = 5 \dots 4$

㊲ $19 \div 6 = 3 \dots 1$

㊳ $49 \div 9 = 5 \dots 4$

㊴ $24 \div 7 = 3 \dots 3$

㊵ $6 \div 4 = 1 \dots 2$

㊶ $42 \div 8 = 5 \dots 2$

㊷ $9 \div 8 = 1 \dots 1$

㊸ $39 \div 8 = 4 \dots 7$

㊹ $46 \div 7 = 6 \dots 4$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $29 \div 7 = 4 \dots 1$

② $41 \div 5 = 8 \dots 1$

③ $64 \div 9 = 7 \dots 1$

④ $29 \div 4 = 7 \dots 1$

⑤ $36 \div 7 = 5 \dots 1$

⑥ $23 \div 7 = 3 \dots 2$

⑦ $26 \div 7 = 3 \dots 5$

⑧ $57 \div 7 = 8 \dots 1$

⑨ $47 \div 8 = 5 \dots 7$

⑩ $26 \div 4 = 6 \dots 2$

⑪ $7 \div 3 = 2 \dots 1$

⑫ $56 \div 6 = 9 \dots 2$

⑬ $58 \div 9 = 6 \dots 4$

⑭ $59 \div 7 = 8 \dots 3$

⑮ $11 \div 2 = 5 \dots 1$

⑯ $46 \div 5 = 9 \dots 1$

⑰ $18 \div 8 = 2 \dots 2$

⑱ $45 \div 7 = 6 \dots 3$

⑲ $57 \div 6 = 9 \dots 3$

⑳ $27 \div 5 = 5 \dots 2$

㉑ $46 \div 9 = 5 \dots 1$

㉒ $22 \div 4 = 5 \dots 2$

㉓ $45 \div 6 = 7 \dots 3$

㉔ $55 \div 9 = 6 \dots 1$

㉕ $43 \div 7 = 6 \dots 1$

⑳ $37 \div 8 = 4 \dots 5$

㉗ $16 \div 6 = 2 \dots 4$

㉘ $48 \div 7 = 6 \dots 6$

㉙ $26 \div 3 = 8 \dots 2$

㉚ $21 \div 5 = 4 \dots 1$

㉛ $18 \div 7 = 2 \dots 4$

㉜ $23 \div 4 = 5 \dots 3$

㉝ $87 \div 9 = 9 \dots 6$

㉞ $67 \div 7 = 9 \dots 4$

㉟ $13 \div 3 = 4 \dots 1$

㊱ $18 \div 4 = 4 \dots 2$

㊲ $46 \div 6 = 7 \dots 4$

㊳ $26 \div 5 = 5 \dots 1$

㊴ $59 \div 9 = 6 \dots 5$

㊵ $14 \div 4 = 3 \dots 2$

㊶ $33 \div 4 = 8 \dots 1$

㊷ $77 \div 9 = 8 \dots 5$

㊸ $13 \div 4 = 3 \dots 1$

㊹ $78 \div 9 = 8 \dots 6$

㊺ $35 \div 4 = 8 \dots 3$

㊻ $8 \div 3 = 2 \dots 2$

㊼ $65 \div 9 = 7 \dots 2$

㊽ $19 \div 3 = 6 \dots 1$

㊾ $37 \div 7 = 5 \dots 2$

㊿ $23 \div 5 = 4 \dots 3$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $68 \div 9 = 7 \dots 5$

② $34 \div 4 = 8 \dots 2$

③ $58 \div 8 = 7 \dots 2$

④ $43 \div 8 = 5 \dots 3$

⑤ $38 \div 5 = 7 \dots 3$

⑥ $69 \div 8 = 8 \dots 5$

⑦ $28 \div 3 = 9 \dots 1$

⑧ $8 \div 7 = 1 \dots 1$

⑨ $9 \div 2 = 4 \dots 1$

⑩ $67 \div 8 = 8 \dots 3$

⑪ $28 \div 9 = 3 \dots 1$

⑫ $25 \div 4 = 6 \dots 1$

⑬ $14 \div 5 = 2 \dots 4$

⑭ $27 \div 7 = 3 \dots 6$

⑮ $28 \div 6 = 4 \dots 4$

⑯ $15 \div 2 = 7 \dots 1$

⑰ $49 \div 5 = 9 \dots 4$

⑱ $16 \div 7 = 2 \dots 2$

⑲ $74 \div 8 = 9 \dots 2$

⑳ $44 \div 5 = 8 \dots 4$

㉑ $49 \div 8 = 6 \dots 1$

㉒ $19 \div 4 = 4 \dots 3$

㉓ $66 \div 9 = 7 \dots 3$

㉔ $31 \div 5 = 6 \dots 1$

㉕ $46 \div 8 = 5 \dots 6$

⑳ $44 \div 6 = 7 \dots 2$

㉗ $41 \div 8 = 5 \dots 1$

㉘ $22 \div 5 = 4 \dots 2$

㉙ $55 \div 6 = 9 \dots 1$

㉚ $35 \div 6 = 5 \dots 5$

㉛ $19 \div 9 = 2 \dots 1$

㉜ $35 \div 8 = 4 \dots 3$

㉝ $33 \div 5 = 6 \dots 3$

㉞ $83 \div 9 = 9 \dots 2$

㉟ $65 \div 8 = 8 \dots 1$

㊱ $89 \div 9 = 9 \dots 8$

㊲ $4 \div 3 = 1 \dots 1$

㊳ $19 \div 2 = 9 \dots 1$

㊴ $67 \div 9 = 7 \dots 4$

㊵ $44 \div 7 = 6 \dots 2$

㊶ $29 \div 5 = 5 \dots 4$

㊷ $11 \div 5 = 2 \dots 1$

㊸ $36 \div 8 = 4 \dots 4$

㊹ $31 \div 6 = 5 \dots 1$

㊺ $43 \div 5 = 8 \dots 3$

㊻ $65 \div 7 = 9 \dots 2$

㊼ $9 \div 7 = 1 \dots 2$

㊽ $75 \div 8 = 9 \dots 3$

㊾ $19 \div 7 = 2 \dots 5$

㊿ $49 \div 6 = 8 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $41 \div 8 = 5 \dots 1$

② $57 \div 9 = 6 \dots 3$

③ $18 \div 4 = 4 \dots 2$

④ $66 \div 7 = 9 \dots 3$

⑤ $41 \div 5 = 8 \dots 1$

⑥ $67 \div 8 = 8 \dots 3$

⑦ $31 \div 5 = 6 \dots 1$

⑧ $33 \div 4 = 8 \dots 1$

⑨ $47 \div 8 = 5 \dots 7$

⑩ $48 \div 7 = 6 \dots 6$

⑪ $23 \div 5 = 4 \dots 3$

⑫ $37 \div 5 = 7 \dots 2$

⑬ $14 \div 4 = 3 \dots 2$

⑭ $34 \div 8 = 4 \dots 2$

⑮ $43 \div 7 = 6 \dots 1$

⑯ $19 \div 2 = 9 \dots 1$

⑰ $46 \div 6 = 7 \dots 4$

⑱ $18 \div 5 = 3 \dots 3$

⑲ $21 \div 4 = 5 \dots 1$

⑳ $79 \div 8 = 9 \dots 7$

㉑ $47 \div 7 = 6 \dots 5$

㉒ $16 \div 5 = 3 \dots 1$

㉓ $16 \div 7 = 2 \dots 2$

㉔ $58 \div 9 = 6 \dots 4$

㉕ $59 \div 8 = 7 \dots 3$

⑳ $26 \div 3 = 8 \dots 2$

㉗ $28 \div 8 = 3 \dots 4$

㉘ $35 \div 6 = 5 \dots 5$

㉙ $4 \div 3 = 1 \dots 1$

㉚ $87 \div 9 = 9 \dots 6$

㉛ $25 \div 8 = 3 \dots 1$

㉜ $56 \div 9 = 6 \dots 2$

㉝ $46 \div 7 = 6 \dots 4$

㉞ $38 \div 7 = 5 \dots 3$

㉟ $35 \div 4 = 8 \dots 3$

㊱ $38 \div 8 = 4 \dots 6$

㊲ $26 \div 4 = 6 \dots 2$

㊳ $5 \div 2 = 2 \dots 1$

㊴ $34 \div 6 = 5 \dots 4$

㊵ $68 \div 7 = 9 \dots 5$

㊶ $13 \div 6 = 2 \dots 1$

㊷ $56 \div 6 = 9 \dots 2$

㊸ $27 \div 7 = 3 \dots 6$

㊹ $82 \div 9 = 9 \dots 1$

㊺ $32 \div 5 = 6 \dots 2$

㊻ $23 \div 3 = 7 \dots 2$

㊼ $83 \div 9 = 9 \dots 2$

㊽ $66 \div 8 = 8 \dots 2$

㊾ $22 \div 4 = 5 \dots 2$

㊿ $25 \div 3 = 8 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $64 \div 7 = 9 \dots 1$

② $26 \div 7 = 3 \dots 5$

③ $67 \div 7 = 9 \dots 4$

④ $55 \div 9 = 6 \dots 1$

⑤ $21 \div 5 = 4 \dots 1$

⑥ $29 \div 8 = 3 \dots 5$

⑦ $68 \div 9 = 7 \dots 5$

⑧ $27 \div 5 = 5 \dots 2$

⑨ $42 \div 5 = 8 \dots 2$

⑩ $86 \div 9 = 9 \dots 5$

⑪ $33 \div 5 = 6 \dots 3$

⑫ $78 \div 9 = 8 \dots 6$

⑬ $19 \div 6 = 3 \dots 1$

⑭ $38 \div 5 = 7 \dots 3$

⑮ $34 \div 4 = 8 \dots 2$

⑯ $6 \div 5 = 1 \dots 1$

⑰ $58 \div 7 = 8 \dots 2$

⑱ $35 \div 8 = 4 \dots 3$

⑲ $17 \div 4 = 4 \dots 1$

⑳ $17 \div 6 = 2 \dots 5$

㉑ $12 \div 5 = 2 \dots 2$

㉒ $11 \div 2 = 5 \dots 1$

㉓ $25 \div 7 = 3 \dots 4$

㉔ $37 \div 9 = 4 \dots 1$

㉕ $36 \div 8 = 4 \dots 4$

⑳ $59 \div 9 = 6 \dots 5$

㉗ $26 \div 8 = 3 \dots 2$

㉘ $37 \div 4 = 9 \dots 1$

㉙ $58 \div 8 = 7 \dots 2$

㉚ $36 \div 7 = 5 \dots 1$

㉛ $39 \div 6 = 6 \dots 3$

㉜ $14 \div 5 = 2 \dots 4$

㉝ $57 \div 7 = 8 \dots 1$

㉞ $22 \div 3 = 7 \dots 1$

㉟ $39 \div 4 = 9 \dots 3$

㊱ $43 \div 5 = 8 \dots 3$

㊲ $69 \div 8 = 8 \dots 5$

㊳ $47 \div 9 = 5 \dots 2$

㊴ $13 \div 4 = 3 \dots 1$

㊵ $42 \div 8 = 5 \dots 2$

㊶ $9 \div 8 = 1 \dots 1$

㊷ $38 \div 6 = 6 \dots 2$

㊸ $13 \div 3 = 4 \dots 1$

㊹ $89 \div 9 = 9 \dots 8$

㊺ $48 \div 9 = 5 \dots 3$

㊻ $85 \div 9 = 9 \dots 4$

㊼ $74 \div 9 = 8 \dots 2$

㊽ $39 \div 8 = 4 \dots 7$

㊾ $19 \div 9 = 2 \dots 1$

㊿ $15 \div 7 = 2 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $76 \div 8 = 9 \dots 4$

② $66 \div 9 = 7 \dots 3$

③ $39 \div 7 = 5 \dots 4$

④ $57 \div 6 = 9 \dots 3$

⑤ $48 \div 5 = 9 \dots 3$

⑥ $33 \div 6 = 5 \dots 3$

⑦ $29 \div 3 = 9 \dots 2$

⑧ $8 \div 7 = 1 \dots 1$

⑨ $57 \div 8 = 7 \dots 1$

⑩ $7 \div 4 = 1 \dots 3$

⑪ $14 \div 6 = 2 \dots 2$

⑫ $19 \div 4 = 4 \dots 3$

⑬ $38 \div 9 = 4 \dots 2$

⑭ $43 \div 6 = 7 \dots 1$

⑮ $29 \div 9 = 3 \dots 2$

⑯ $9 \div 7 = 1 \dots 2$

⑰ $9 \div 6 = 1 \dots 3$

⑱ $29 \div 4 = 7 \dots 1$

⑲ $49 \div 8 = 6 \dots 1$

⑳ $3 \div 2 = 1 \dots 1$

㉑ $17 \div 3 = 5 \dots 2$

㉒ $28 \div 6 = 4 \dots 4$

㉓ $24 \div 5 = 4 \dots 4$

㉔ $37 \div 8 = 4 \dots 5$

㉕ $17 \div 2 = 8 \dots 1$

⑳ $28 \div 3 = 9 \dots 1$

㉗ $26 \div 5 = 5 \dots 1$

㉘ $49 \div 6 = 8 \dots 1$

㉙ $19 \div 7 = 2 \dots 5$

㉚ $26 \div 6 = 4 \dots 2$

㉛ $36 \div 5 = 7 \dots 1$

㉜ $45 \div 7 = 6 \dots 3$

㉝ $75 \div 9 = 8 \dots 3$

㉞ $24 \div 7 = 3 \dots 3$

㉟ $46 \div 5 = 9 \dots 1$

㊱ $45 \div 8 = 5 \dots 5$

㊲ $17 \div 7 = 2 \dots 3$

㊳ $31 \div 6 = 5 \dots 1$

㊴ $47 \div 5 = 9 \dots 2$

㊵ $84 \div 9 = 9 \dots 3$

㊶ $39 \div 9 = 4 \dots 3$

㊷ $28 \div 5 = 5 \dots 3$

㊸ $7 \div 5 = 1 \dots 2$

㊹ $27 \div 4 = 6 \dots 3$

㊺ $58 \div 6 = 9 \dots 4$

㊻ $73 \div 8 = 9 \dots 1$

㊼ $16 \div 6 = 2 \dots 4$

㊽ $44 \div 7 = 6 \dots 2$

㊾ $9 \div 2 = 4 \dots 1$

㊿ $11 \div 5 = 2 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $18 \div 7 = 2 \dots 4$

② $9 \div 4 = 2 \dots 1$

③ $25 \div 6 = 4 \dots 1$

④ $13 \div 5 = 2 \dots 3$

⑤ $8 \div 5 = 1 \dots 3$

⑥ $22 \div 5 = 4 \dots 2$

⑦ $27 \div 6 = 4 \dots 3$

⑧ $47 \div 6 = 7 \dots 5$

⑨ $5 \div 3 = 1 \dots 2$

⑩ $6 \div 4 = 1 \dots 2$

⑪ $8 \div 3 = 2 \dots 2$

⑫ $75 \div 8 = 9 \dots 3$

⑬ $23 \div 4 = 5 \dots 3$

⑭ $59 \div 6 = 9 \dots 5$

⑮ $27 \div 8 = 3 \dots 3$

⑯ $79 \div 9 = 8 \dots 7$

⑰ $16 \div 3 = 5 \dots 1$

⑱ $29 \div 7 = 4 \dots 1$

⑲ $13 \div 2 = 6 \dots 1$

⑳ $19 \div 5 = 3 \dots 4$

㉑ $44 \div 5 = 8 \dots 4$

㉒ $15 \div 4 = 3 \dots 3$

㉓ $15 \div 2 = 7 \dots 1$

㉔ $67 \div 9 = 7 \dots 4$

㉕ $69 \div 9 = 7 \dots 6$

⑳ $28 \div 9 = 3 \dots 1$

㉗ $15 \div 6 = 2 \dots 3$

㉘ $43 \div 8 = 5 \dots 3$

㉙ $45 \div 6 = 7 \dots 3$

㉚ $65 \div 7 = 9 \dots 2$

㉛ $18 \div 8 = 2 \dots 2$

㉜ $7 \div 3 = 2 \dots 1$

㉝ $5 \div 4 = 1 \dots 1$

㉞ $29 \div 5 = 5 \dots 4$

㉟ $77 \div 8 = 9 \dots 5$

㊱ $65 \div 9 = 7 \dots 2$

㊲ $44 \div 8 = 5 \dots 4$

㊳ $39 \div 5 = 7 \dots 4$

㊴ $7 \div 6 = 1 \dots 1$

㊵ $19 \div 8 = 2 \dots 3$

㊶ $9 \div 5 = 1 \dots 4$

㊷ $49 \div 9 = 5 \dots 4$

㊸ $68 \div 8 = 8 \dots 4$

㊹ $22 \div 7 = 3 \dots 1$

㊺ $25 \div 4 = 6 \dots 1$

㊻ $29 \div 6 = 4 \dots 5$

㊼ $34 \div 5 = 6 \dots 4$

㊽ $17 \div 5 = 3 \dots 2$

㊾ $64 \div 9 = 7 \dots 1$

㊿ $38 \div 4 = 9 \dots 2$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $26 \div 3 = 8 \dots 2$

② $33 \div 8 = 4 \dots 1$

③ $36 \div 8 = 4 \dots 4$

④ $19 \div 7 = 2 \dots 5$

⑤ $48 \div 7 = 6 \dots 6$

⑥ $88 \div 9 = 9 \dots 7$

⑦ $17 \div 5 = 3 \dots 2$

⑧ $22 \div 5 = 4 \dots 2$

⑨ $38 \div 9 = 4 \dots 2$

⑩ $73 \div 8 = 9 \dots 1$

⑪ $9 \div 8 = 1 \dots 1$

⑫ $22 \div 7 = 3 \dots 1$

⑬ $69 \div 8 = 8 \dots 5$

⑭ $79 \div 8 = 9 \dots 7$

⑮ $74 \div 8 = 9 \dots 2$

⑯ $19 \div 2 = 9 \dots 1$

⑰ $25 \div 6 = 4 \dots 1$

⑱ $19 \div 3 = 6 \dots 1$

⑲ $39 \div 5 = 7 \dots 4$

⑳ $34 \div 8 = 4 \dots 2$

㉑ $18 \div 8 = 2 \dots 2$

㉒ $18 \div 4 = 4 \dots 2$

㉓ $58 \div 7 = 8 \dots 2$

㉔ $79 \div 9 = 8 \dots 7$

㉕ $47 \div 5 = 9 \dots 2$

⑳ $66 \div 8 = 8 \dots 2$

㉗ $49 \div 6 = 8 \dots 1$

㉘ $69 \div 7 = 9 \dots 6$

㉙ $32 \div 6 = 5 \dots 2$

㉚ $75 \div 8 = 9 \dots 3$

㉛ $47 \div 9 = 5 \dots 2$

㉜ $27 \div 7 = 3 \dots 6$

㉝ $83 \div 9 = 9 \dots 2$

㉞ $7 \div 5 = 1 \dots 2$

㉟ $49 \div 5 = 9 \dots 4$

㊱ $37 \div 9 = 4 \dots 1$

㊲ $14 \div 5 = 2 \dots 4$

㊳ $24 \div 5 = 4 \dots 4$

㊴ $17 \div 3 = 5 \dots 2$

㊵ $67 \div 8 = 8 \dots 3$

㊶ $55 \div 9 = 6 \dots 1$

㊷ $46 \div 7 = 6 \dots 4$

㊸ $46 \div 8 = 5 \dots 6$

㊹ $66 \div 9 = 7 \dots 3$

㊺ $15 \div 2 = 7 \dots 1$

㊻ $16 \div 7 = 2 \dots 2$

㊼ $41 \div 8 = 5 \dots 1$

㊽ $58 \div 9 = 6 \dots 4$

㊾ $22 \div 3 = 7 \dots 1$

㊿ $11 \div 2 = 5 \dots 1$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $34 \div 5 = 6 \dots 4$

② $25 \div 8 = 3 \dots 1$

③ $64 \div 9 = 7 \dots 1$

④ $45 \div 6 = 7 \dots 3$

⑤ $45 \div 7 = 6 \dots 3$

⑥ $31 \div 5 = 6 \dots 1$

⑦ $29 \div 8 = 3 \dots 5$

⑧ $55 \div 6 = 9 \dots 1$

⑨ $17 \div 4 = 4 \dots 1$

⑩ $46 \div 9 = 5 \dots 1$

⑪ $13 \div 4 = 3 \dots 1$

⑫ $29 \div 9 = 3 \dots 2$

⑬ $14 \div 4 = 3 \dots 2$

⑭ $32 \div 5 = 6 \dots 2$

⑮ $29 \div 5 = 5 \dots 4$

⑯ $31 \div 6 = 5 \dots 1$

⑰ $29 \div 3 = 9 \dots 2$

⑱ $36 \div 7 = 5 \dots 1$

⑲ $59 \div 6 = 9 \dots 5$

⑳ $66 \div 7 = 9 \dots 3$

㉑ $68 \div 9 = 7 \dots 5$

㉒ $28 \div 5 = 5 \dots 3$

㉓ $43 \div 5 = 8 \dots 3$

㉔ $5 \div 2 = 2 \dots 1$

㉕ $43 \div 8 = 5 \dots 3$

⑳ $39 \div 9 = 4 \dots 3$

㉗ $26 \div 8 = 3 \dots 2$

㉘ $21 \div 4 = 5 \dots 1$

㉙ $5 \div 4 = 1 \dots 1$

㉚ $47 \div 6 = 7 \dots 5$

㉛ $23 \div 5 = 4 \dots 3$

㉜ $27 \div 5 = 5 \dots 2$

㉝ $13 \div 3 = 4 \dots 1$

㉞ $87 \div 9 = 9 \dots 6$

㉟ $19 \div 9 = 2 \dots 1$

㊱ $19 \div 8 = 2 \dots 3$

㊲ $42 \div 5 = 8 \dots 2$

㊳ $17 \div 8 = 2 \dots 1$

㊴ $29 \div 7 = 4 \dots 1$

㊵ $12 \div 5 = 2 \dots 2$

㊶ $46 \div 5 = 9 \dots 1$

㊷ $34 \div 6 = 5 \dots 4$

㊸ $86 \div 9 = 9 \dots 5$

㊹ $35 \div 8 = 4 \dots 3$

㊺ $35 \div 4 = 8 \dots 3$

㊻ $78 \div 8 = 9 \dots 6$

㊼ $49 \div 8 = 6 \dots 1$

㊽ $43 \div 7 = 6 \dots 1$

㊾ $29 \div 6 = 4 \dots 5$

㊿ $76 \div 9 = 8 \dots 4$

わり算 [2]

内容

余りを求めるのに
繰り下がりの引き算が必要でないわり算問題の答え

① $8 \div 5 = 1 \dots 3$

② $33 \div 4 = 8 \dots 1$

③ $22 \div 4 = 5 \dots 2$

④ $19 \div 5 = 3 \dots 4$

⑤ $13 \div 6 = 2 \dots 1$

⑥ $44 \div 8 = 5 \dots 4$

⑦ $57 \div 8 = 7 \dots 1$

⑧ $8 \div 7 = 1 \dots 1$

⑨ $47 \div 8 = 5 \dots 7$

⑩ $25 \div 4 = 6 \dots 1$

⑪ $23 \div 7 = 3 \dots 2$

⑫ $9 \div 4 = 2 \dots 1$

⑬ $57 \div 7 = 8 \dots 1$

⑭ $39 \div 7 = 5 \dots 4$

⑮ $9 \div 2 = 4 \dots 1$

⑯ $65 \div 9 = 7 \dots 2$

⑰ $18 \div 5 = 3 \dots 3$

⑱ $38 \div 6 = 6 \dots 2$

⑲ $65 \div 7 = 9 \dots 2$

⑳ $59 \div 8 = 7 \dots 3$

㉑ $23 \div 4 = 5 \dots 3$

㉒ $37 \div 6 = 6 \dots 1$

㉓ $7 \div 6 = 1 \dots 1$

㉔ $27 \div 4 = 6 \dots 3$

㉕ $26 \div 7 = 3 \dots 5$

⑳ $59 \div 7 = 8 \dots 3$

㉗ $44 \div 6 = 7 \dots 2$

㉘ $67 \div 7 = 9 \dots 4$

㉙ $26 \div 6 = 4 \dots 2$

㉚ $44 \div 7 = 6 \dots 2$

㉛ $9 \div 7 = 1 \dots 2$

㉜ $68 \div 7 = 9 \dots 5$

㉝ $17 \div 7 = 2 \dots 3$

㉞ $47 \div 7 = 6 \dots 5$

㉟ $41 \div 5 = 8 \dots 1$

㊱ $67 \div 9 = 7 \dots 4$

㊲ $19 \div 4 = 4 \dots 3$

㊳ $13 \div 2 = 6 \dots 1$

㊴ $17 \div 2 = 8 \dots 1$

㊵ $84 \div 9 = 9 \dots 3$

㊶ $77 \div 8 = 9 \dots 5$

㊷ $25 \div 3 = 8 \dots 1$

㊸ $76 \div 8 = 9 \dots 4$

㊹ $8 \div 3 = 2 \dots 2$

㊺ $59 \div 9 = 6 \dots 5$

㊻ $13 \div 5 = 2 \dots 3$

㊼ $74 \div 9 = 8 \dots 2$

㊽ $69 \div 9 = 7 \dots 6$

㊾ $34 \div 4 = 8 \dots 2$

㊿ $4 \div 3 = 1 \dots 1$

わり算 [2]

内容

余りを求めるのに

繰り下がりの引き算が必要でないわり算問題の答え

① $37 \div 5 = 7 \dots 2$

② $77 \div 9 = 8 \dots 5$

③ $16 \div 6 = 2 \dots 4$

④ $44 \div 5 = 8 \dots 4$

⑤ $27 \div 6 = 4 \dots 3$

⑥ $23 \div 3 = 7 \dots 2$

⑦ $25 \div 7 = 3 \dots 4$

⑧ $15 \div 4 = 3 \dots 3$

⑨ $5 \div 3 = 1 \dots 2$

⑩ $57 \div 9 = 6 \dots 3$

⑪ $7 \div 4 = 1 \dots 3$

⑫ $82 \div 9 = 9 \dots 1$

⑬ $39 \div 6 = 6 \dots 3$

⑭ $6 \div 5 = 1 \dots 1$

⑮ $28 \div 8 = 3 \dots 4$

⑯ $43 \div 6 = 7 \dots 1$

⑰ $16 \div 3 = 5 \dots 1$

⑱ $17 \div 6 = 2 \dots 5$

⑲ $65 \div 8 = 8 \dots 1$

⑳ $45 \div 8 = 5 \dots 5$

㉑ $18 \div 7 = 2 \dots 4$

㉒ $29 \div 4 = 7 \dots 1$

㉓ $7 \div 2 = 3 \dots 1$

㉔ $6 \div 4 = 1 \dots 2$

㉕ $48 \div 5 = 9 \dots 3$

⑳ $11 \div 5 = 2 \dots 1$

㉗ $33 \div 6 = 5 \dots 3$

㉘ $36 \div 5 = 7 \dots 1$

㉙ $26 \div 5 = 5 \dots 1$

㉚ $24 \div 7 = 3 \dots 3$

㉛ $37 \div 7 = 5 \dots 2$

㉜ $19 \div 6 = 3 \dots 1$

㉝ $37 \div 4 = 9 \dots 1$

㉞ $38 \div 8 = 4 \dots 6$

㉟ $37 \div 8 = 4 \dots 5$

㊱ $56 \div 6 = 9 \dots 2$

㊲ $26 \div 4 = 6 \dots 2$

㊳ $89 \div 9 = 9 \dots 8$

㊴ $64 \div 7 = 9 \dots 1$

㊵ $42 \div 8 = 5 \dots 2$

㊶ $35 \div 6 = 5 \dots 5$

㊷ $16 \div 5 = 3 \dots 1$

㊸ $8 \div 6 = 1 \dots 2$

㊹ $28 \div 3 = 9 \dots 1$

㊺ $56 \div 9 = 6 \dots 2$

㊻ $68 \div 8 = 8 \dots 4$

㊼ $38 \div 7 = 5 \dots 3$

㊽ $14 \div 6 = 2 \dots 2$

㊾ $28 \div 9 = 3 \dots 1$

㊿ $15 \div 7 = 2 \dots 1$