

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $44 \div 5 = 8 \dots 4$

②  $35 \div 9 = 3 \dots 8$

③  $7 \div 4 = 1 \dots 3$

④  $34 \div 6 = 5 \dots 4$

⑤  $71 \div 9 = 7 \dots 8$

⑥  $44 \div 7 = 6 \dots 2$

⑦  $77 \div 9 = 8 \dots 5$

⑧  $34 \div 5 = 6 \dots 4$

⑨  $59 \div 9 = 6 \dots 5$

⑩  $42 \div 5 = 8 \dots 2$

⑪  $21 \div 8 = 2 \dots 5$

⑫  $21 \div 4 = 5 \dots 1$

⑬  $49 \div 8 = 6 \dots 1$

⑭  $11 \div 5 = 2 \dots 1$

⑮  $9 \div 8 = 1 \dots 1$

⑯  $43 \div 5 = 8 \dots 3$

⑰  $27 \div 4 = 6 \dots 3$

⑱  $51 \div 9 = 5 \dots 6$

⑲  $16 \div 5 = 3 \dots 1$

⑳  $17 \div 4 = 4 \dots 1$

㉑  $6 \div 4 = 1 \dots 2$

㉒  $40 \div 9 = 4 \dots 4$

㉓  $65 \div 8 = 8 \dots 1$

㉔  $24 \div 5 = 4 \dots 4$

㉕  $19 \div 8 = 2 \dots 3$

⑳  $10 \div 4 = 2 \dots 2$

㉗  $59 \div 7 = 8 \dots 3$

㉘  $9 \div 5 = 1 \dots 4$

㉙  $62 \div 7 = 8 \dots 6$

㉚  $25 \div 8 = 3 \dots 1$

㉛  $69 \div 8 = 8 \dots 5$

㉜  $31 \div 5 = 6 \dots 1$

㉝  $21 \div 9 = 2 \dots 3$

㉞  $13 \div 2 = 6 \dots 1$

㉟  $7 \div 6 = 1 \dots 1$

㊱  $41 \div 9 = 4 \dots 5$

㊲  $22 \div 3 = 7 \dots 1$

㊳  $47 \div 7 = 6 \dots 5$

㊴  $69 \div 7 = 9 \dots 6$

㊵  $43 \div 8 = 5 \dots 3$

㊶  $18 \div 5 = 3 \dots 3$

㊷  $39 \div 8 = 4 \dots 7$

㊸  $20 \div 7 = 2 \dots 6$

㊹  $10 \div 8 = 1 \dots 2$

㊺  $25 \div 4 = 6 \dots 1$

㊻  $70 \div 9 = 7 \dots 7$

㊼  $85 \div 9 = 9 \dots 4$

㊽  $52 \div 9 = 5 \dots 7$

㊾  $5 \div 3 = 1 \dots 2$

㊿  $43 \div 7 = 6 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $33 \div 8 = 4 \dots 1$

②  $60 \div 7 = 8 \dots 4$

③  $50 \div 7 = 7 \dots 1$

④  $17 \div 5 = 3 \dots 2$

⑤  $76 \div 9 = 8 \dots 4$

⑥  $19 \div 5 = 3 \dots 4$

⑦  $27 \div 6 = 4 \dots 3$

⑧  $37 \div 8 = 4 \dots 5$

⑨  $17 \div 6 = 2 \dots 5$

⑩  $78 \div 9 = 8 \dots 6$

⑪  $66 \div 8 = 8 \dots 2$

⑫  $79 \div 8 = 9 \dots 7$

⑬  $8 \div 6 = 1 \dots 2$

⑭  $25 \div 9 = 2 \dots 7$

⑮  $32 \div 7 = 4 \dots 4$

⑯  $33 \div 6 = 5 \dots 3$

⑰  $7 \div 3 = 2 \dots 1$

⑱  $27 \div 5 = 5 \dots 2$

⑲  $12 \div 5 = 2 \dots 2$

⑳  $57 \div 6 = 9 \dots 3$

㉑  $47 \div 8 = 5 \dots 7$

㉒  $67 \div 9 = 7 \dots 4$

㉓  $39 \div 5 = 7 \dots 4$

㉔  $55 \div 6 = 9 \dots 1$

㉕  $19 \div 9 = 2 \dots 1$

⑳  $14 \div 4 = 3 \dots 2$

㉗  $17 \div 3 = 5 \dots 2$

㉘  $31 \div 8 = 3 \dots 7$

㉙  $16 \div 6 = 2 \dots 4$

㉚  $42 \div 8 = 5 \dots 2$

㉛  $86 \div 9 = 9 \dots 5$

㉜  $19 \div 7 = 2 \dots 5$

㉝  $75 \div 9 = 8 \dots 3$

㉞  $38 \div 7 = 5 \dots 3$

㉟  $25 \div 6 = 4 \dots 1$

㊱  $56 \div 6 = 9 \dots 2$

㊲  $50 \div 6 = 8 \dots 2$

㊳  $11 \div 4 = 2 \dots 3$

㊴  $30 \div 8 = 3 \dots 6$

㊵  $14 \div 6 = 2 \dots 2$

㊶  $48 \div 7 = 6 \dots 6$

㊷  $45 \div 6 = 7 \dots 3$

㊸  $15 \div 7 = 2 \dots 1$

㊹  $46 \div 6 = 7 \dots 4$

㊺  $36 \div 7 = 5 \dots 1$

㊻  $3 \div 2 = 1 \dots 1$

㊼  $43 \div 6 = 7 \dots 1$

㊽  $31 \div 9 = 3 \dots 4$

㊾  $62 \div 9 = 6 \dots 8$

㊿  $36 \div 8 = 4 \dots 4$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $26 \div 5 = 5 \dots 1$

②  $60 \div 9 = 6 \dots 6$

③  $14 \div 9 = 1 \dots 5$

④  $41 \div 5 = 8 \dots 1$

⑤  $37 \div 5 = 7 \dots 2$

⑥  $10 \div 7 = 1 \dots 3$

⑦  $22 \div 7 = 3 \dots 1$

⑧  $80 \div 9 = 8 \dots 8$

⑨  $24 \div 7 = 3 \dots 3$

⑩  $32 \div 9 = 3 \dots 5$

⑪  $63 \div 8 = 7 \dots 7$

⑫  $34 \div 7 = 4 \dots 6$

⑬  $39 \div 6 = 6 \dots 3$

⑭  $9 \div 6 = 1 \dots 3$

⑮  $37 \div 6 = 6 \dots 1$

⑯  $23 \div 8 = 2 \dots 7$

⑰  $57 \div 8 = 7 \dots 1$

⑱  $15 \div 8 = 1 \dots 7$

⑲  $46 \div 5 = 9 \dots 1$

⑳  $87 \div 9 = 9 \dots 6$

㉑  $44 \div 8 = 5 \dots 4$

㉒  $20 \div 9 = 2 \dots 2$

㉓  $24 \div 9 = 2 \dots 6$

㉔  $38 \div 5 = 7 \dots 3$

㉕  $60 \div 8 = 7 \dots 4$

⑳  $73 \div 8 = 9 \dots 1$

㉗  $13 \div 8 = 1 \dots 5$

㉘  $27 \div 8 = 3 \dots 3$

㉙  $17 \div 8 = 2 \dots 1$

㉚  $22 \div 6 = 3 \dots 4$

㉛  $26 \div 9 = 2 \dots 8$

㉜  $36 \div 5 = 7 \dots 1$

㉝  $23 \div 5 = 4 \dots 3$

㉞  $12 \div 9 = 1 \dots 3$

㉟  $46 \div 8 = 5 \dots 6$

㊱  $14 \div 8 = 1 \dots 6$

㊲  $49 \div 9 = 5 \dots 4$

㊳  $39 \div 7 = 5 \dots 4$

㊴  $52 \div 7 = 7 \dots 3$

㊵  $11 \div 9 = 1 \dots 2$

㊶  $28 \div 8 = 3 \dots 4$

㊷  $68 \div 8 = 8 \dots 4$

㊸  $29 \div 3 = 9 \dots 2$

㊹  $74 \div 8 = 9 \dots 2$

㊺  $31 \div 7 = 4 \dots 3$

㊻  $26 \div 8 = 3 \dots 2$

㊼  $33 \div 5 = 6 \dots 3$

㊽  $61 \div 7 = 8 \dots 5$

㊾  $51 \div 7 = 7 \dots 2$

㊿  $66 \div 7 = 9 \dots 3$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $19 \div 3 = 6 \dots 1$

②  $35 \div 4 = 8 \dots 3$

③  $7 \div 5 = 1 \dots 2$

④  $37 \div 4 = 9 \dots 1$

⑤  $5 \div 2 = 2 \dots 1$

⑥  $23 \div 4 = 5 \dots 3$

⑦  $45 \div 8 = 5 \dots 5$

⑧  $12 \div 8 = 1 \dots 4$

⑨  $88 \div 9 = 9 \dots 7$

⑩  $7 \div 2 = 3 \dots 1$

⑪  $9 \div 7 = 1 \dots 2$

⑫  $39 \div 4 = 9 \dots 3$

⑬  $30 \div 9 = 3 \dots 3$

⑭  $46 \div 9 = 5 \dots 1$

⑮  $21 \div 5 = 4 \dots 1$

⑯  $71 \div 8 = 8 \dots 7$

⑰  $31 \div 4 = 7 \dots 3$

⑱  $10 \div 3 = 3 \dots 1$

⑲  $15 \div 6 = 2 \dots 3$

⑳  $23 \div 3 = 7 \dots 2$

㉑  $62 \div 8 = 7 \dots 6$

㉒  $11 \div 6 = 1 \dots 5$

㉓  $67 \div 7 = 9 \dots 4$

㉔  $50 \div 9 = 5 \dots 5$

㉕  $55 \div 7 = 7 \dots 6$

⑳  $26 \div 4 = 6 \dots 2$

㉑  $61 \div 8 = 7 \dots 5$

㉒  $53 \div 9 = 5 \dots 8$

㉓  $79 \div 9 = 8 \dots 7$

㉔  $50 \div 8 = 6 \dots 2$

㉕  $17 \div 2 = 8 \dots 1$

㉖  $28 \div 9 = 3 \dots 1$

㉗  $19 \div 2 = 9 \dots 1$

㉘  $66 \div 9 = 7 \dots 3$

㉙  $84 \div 9 = 9 \dots 3$

㉚  $13 \div 9 = 1 \dots 4$

㉛  $48 \div 9 = 5 \dots 3$

㉜  $5 \div 4 = 1 \dots 1$

㉝  $54 \div 8 = 6 \dots 6$

㉞  $41 \div 7 = 5 \dots 6$

㉟  $23 \div 6 = 3 \dots 5$

㊱  $47 \div 6 = 7 \dots 5$

㊲  $42 \div 9 = 4 \dots 6$

㊳  $22 \div 4 = 5 \dots 2$

㊴  $9 \div 2 = 4 \dots 1$

㊵  $37 \div 7 = 5 \dots 2$

㊶  $78 \div 8 = 9 \dots 6$

㊷  $44 \div 9 = 4 \dots 8$

㊸  $38 \div 4 = 9 \dots 2$

㊹  $82 \div 9 = 9 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

- |   |                         |    |                         |
|---|-------------------------|----|-------------------------|
| ① | $69 \div 9 = 7 \dots 6$ | ②⑥ | $13 \div 7 = 1 \dots 6$ |
| ② | $58 \div 6 = 9 \dots 4$ | ②⑦ | $29 \div 8 = 3 \dots 5$ |
| ③ | $22 \div 5 = 4 \dots 2$ | ②⑧ | $76 \div 8 = 9 \dots 4$ |
| ④ | $20 \div 6 = 3 \dots 2$ | ②⑨ | $10 \div 9 = 1 \dots 1$ |
| ⑤ | $11 \div 3 = 3 \dots 2$ | ③⑩ | $47 \div 5 = 9 \dots 2$ |
| ⑥ | $34 \div 4 = 8 \dots 2$ | ③⑪ | $56 \div 9 = 6 \dots 2$ |
| ⑦ | $35 \div 8 = 4 \dots 3$ | ③⑫ | $23 \div 7 = 3 \dots 2$ |
| ⑧ | $29 \div 7 = 4 \dots 1$ | ③⑬ | $20 \div 3 = 6 \dots 2$ |
| ⑨ | $74 \div 9 = 8 \dots 2$ | ③⑭ | $19 \div 6 = 3 \dots 1$ |
| ⑩ | $30 \div 7 = 4 \dots 2$ | ③⑮ | $51 \div 6 = 8 \dots 3$ |
| ⑪ | $9 \div 4 = 2 \dots 1$  | ③⑯ | $49 \div 6 = 8 \dots 1$ |
| ⑫ | $17 \div 7 = 2 \dots 3$ | ③⑰ | $23 \div 9 = 2 \dots 5$ |
| ⑬ | $53 \div 8 = 6 \dots 5$ | ③⑱ | $28 \div 3 = 9 \dots 1$ |
| ⑭ | $67 \div 8 = 8 \dots 3$ | ③⑲ | $41 \div 8 = 5 \dots 1$ |
| ⑮ | $65 \div 9 = 7 \dots 2$ | ④⑰ | $61 \div 9 = 6 \dots 7$ |
| ⑯ | $18 \div 4 = 4 \dots 2$ | ④⑱ | $28 \div 5 = 5 \dots 3$ |
| ⑰ | $83 \div 9 = 9 \dots 2$ | ④⑲ | $32 \div 5 = 6 \dots 2$ |
| ⑱ | $11 \div 8 = 1 \dots 3$ | ④⑲ | $68 \div 9 = 7 \dots 5$ |
| ⑲ | $54 \div 7 = 7 \dots 5$ | ④⑲ | $15 \div 9 = 1 \dots 6$ |
| ⑳ | $16 \div 3 = 5 \dots 1$ | ④⑲ | $14 \div 5 = 2 \dots 4$ |
| ㉑ | $25 \div 7 = 3 \dots 4$ | ④⑲ | $12 \div 7 = 1 \dots 5$ |
| ㉒ | $18 \div 7 = 2 \dots 4$ | ④⑲ | $8 \div 7 = 1 \dots 1$  |
| ㉓ | $49 \div 5 = 9 \dots 4$ | ④⑲ | $58 \div 7 = 8 \dots 2$ |
| ㉔ | $14 \div 3 = 4 \dots 2$ | ④⑲ | $8 \div 5 = 1 \dots 3$  |
| ㉕ | $29 \div 4 = 7 \dots 1$ | ⑤⑰ | $38 \div 9 = 4 \dots 2$ |

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $41 \div 6 = 6 \dots 5$

②  $40 \div 6 = 6 \dots 4$

③  $38 \div 6 = 6 \dots 2$

④  $64 \div 9 = 7 \dots 1$

⑤  $52 \div 8 = 6 \dots 4$

⑥  $46 \div 7 = 6 \dots 4$

⑦  $4 \div 3 = 1 \dots 1$

⑧  $52 \div 6 = 8 \dots 4$

⑨  $33 \div 7 = 4 \dots 5$

⑩  $33 \div 9 = 3 \dots 6$

⑪  $75 \div 8 = 9 \dots 3$

⑫  $15 \div 4 = 3 \dots 3$

⑬  $55 \div 8 = 6 \dots 7$

⑭  $6 \div 5 = 1 \dots 1$

⑮  $11 \div 2 = 5 \dots 1$

⑯  $21 \div 6 = 3 \dots 3$

⑰  $22 \div 9 = 2 \dots 4$

⑱  $58 \div 9 = 6 \dots 4$

⑲  $26 \div 6 = 4 \dots 2$

⑳  $59 \div 8 = 7 \dots 3$

㉑  $13 \div 4 = 3 \dots 1$

㉒  $11 \div 7 = 1 \dots 4$

㉓  $77 \div 8 = 9 \dots 5$

㉔  $34 \div 9 = 3 \dots 7$

㉕  $38 \div 8 = 4 \dots 6$

⑳  $29 \div 5 = 5 \dots 4$

㉗  $45 \div 7 = 6 \dots 3$

㉘  $68 \div 7 = 9 \dots 5$

㉙  $55 \div 9 = 6 \dots 1$

㉚  $44 \div 6 = 7 \dots 2$

㉛  $29 \div 9 = 3 \dots 2$

㉜  $43 \div 9 = 4 \dots 7$

㉝  $16 \div 7 = 2 \dots 2$

㉞  $13 \div 5 = 2 \dots 3$

㉟  $34 \div 8 = 4 \dots 2$

㊱  $73 \div 9 = 8 \dots 1$

㊲  $48 \div 5 = 9 \dots 3$

㊳  $57 \div 9 = 6 \dots 3$

㊴  $13 \div 6 = 2 \dots 1$

㊵  $10 \div 6 = 1 \dots 4$

㊶  $26 \div 3 = 8 \dots 2$

㊷  $29 \div 6 = 4 \dots 5$

㊸  $47 \div 9 = 5 \dots 2$

㊹  $65 \div 7 = 9 \dots 2$

㊺  $15 \div 2 = 7 \dots 1$

㊻  $64 \div 7 = 9 \dots 1$

㊼  $32 \div 6 = 5 \dots 2$

㊽  $17 \div 9 = 1 \dots 8$

㊾  $39 \div 9 = 4 \dots 3$

㊿  $13 \div 3 = 4 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $55 \div 9 = 6 \dots 1$

②  $19 \div 3 = 6 \dots 1$

③  $29 \div 7 = 4 \dots 1$

④  $73 \div 9 = 8 \dots 1$

⑤  $48 \div 7 = 6 \dots 6$

⑥  $63 \div 8 = 7 \dots 7$

⑦  $66 \div 7 = 9 \dots 3$

⑧  $41 \div 8 = 5 \dots 1$

⑨  $75 \div 9 = 8 \dots 3$

⑩  $36 \div 5 = 7 \dots 1$

⑪  $79 \div 8 = 9 \dots 7$

⑫  $40 \div 6 = 6 \dots 4$

⑬  $27 \div 6 = 4 \dots 3$

⑭  $78 \div 8 = 9 \dots 6$

⑮  $75 \div 8 = 9 \dots 3$

⑯  $26 \div 5 = 5 \dots 1$

⑰  $22 \div 3 = 7 \dots 1$

⑱  $57 \div 8 = 7 \dots 1$

⑲  $22 \div 9 = 2 \dots 4$

⑳  $40 \div 9 = 4 \dots 4$

㉑  $16 \div 9 = 1 \dots 7$

㉒  $33 \div 6 = 5 \dots 3$

㉓  $34 \div 8 = 4 \dots 2$

㉔  $89 \div 9 = 9 \dots 8$

㉕  $22 \div 5 = 4 \dots 2$

⑳  $26 \div 8 = 3 \dots 2$

㉗  $11 \div 2 = 5 \dots 1$

㉘  $23 \div 3 = 7 \dots 2$

㉙  $64 \div 9 = 7 \dots 1$

㉚  $15 \div 9 = 1 \dots 6$

㉛  $71 \div 9 = 7 \dots 8$

㉜  $41 \div 9 = 4 \dots 5$

㉝  $43 \div 9 = 4 \dots 7$

㉞  $18 \div 5 = 3 \dots 3$

㉟  $51 \div 9 = 5 \dots 6$

㊱  $68 \div 7 = 9 \dots 5$

㊲  $10 \div 8 = 1 \dots 2$

㊳  $19 \div 7 = 2 \dots 5$

㊴  $47 \div 9 = 5 \dots 2$

㊵  $53 \div 9 = 5 \dots 8$

㊶  $13 \div 8 = 1 \dots 5$

㊷  $37 \div 5 = 7 \dots 2$

㊸  $31 \div 7 = 4 \dots 3$

㊹  $20 \div 9 = 2 \dots 2$

㊺  $57 \div 7 = 8 \dots 1$

㊻  $28 \div 9 = 3 \dots 1$

㊼  $19 \div 4 = 4 \dots 3$

㊽  $13 \div 4 = 3 \dots 1$

㊾  $23 \div 9 = 2 \dots 5$

㊿  $30 \div 9 = 3 \dots 3$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

- |   |                         |    |                         |
|---|-------------------------|----|-------------------------|
| ① | $33 \div 7 = 4 \dots 5$ | ②⑥ | $47 \div 7 = 6 \dots 5$ |
| ② | $24 \div 7 = 3 \dots 3$ | ②⑦ | $29 \div 9 = 3 \dots 2$ |
| ③ | $39 \div 4 = 9 \dots 3$ | ②⑧ | $44 \div 7 = 6 \dots 2$ |
| ④ | $69 \div 8 = 8 \dots 5$ | ②⑨ | $60 \div 8 = 7 \dots 4$ |
| ⑤ | $55 \div 7 = 7 \dots 6$ | ③⑩ | $45 \div 8 = 5 \dots 5$ |
| ⑥ | $38 \div 8 = 4 \dots 6$ | ③⑪ | $76 \div 8 = 9 \dots 4$ |
| ⑦ | $30 \div 4 = 7 \dots 2$ | ③⑫ | $51 \div 7 = 7 \dots 2$ |
| ⑧ | $16 \div 5 = 3 \dots 1$ | ③⑬ | $82 \div 9 = 9 \dots 1$ |
| ⑨ | $80 \div 9 = 8 \dots 8$ | ③⑭ | $17 \div 5 = 3 \dots 2$ |
| ⑩ | $16 \div 3 = 5 \dots 1$ | ③⑮ | $13 \div 7 = 1 \dots 6$ |
| ⑪ | $31 \div 8 = 3 \dots 7$ | ③⑯ | $30 \div 8 = 3 \dots 6$ |
| ⑫ | $19 \div 2 = 9 \dots 1$ | ③⑰ | $65 \div 8 = 8 \dots 1$ |
| ⑬ | $52 \div 9 = 5 \dots 7$ | ③⑱ | $13 \div 6 = 2 \dots 1$ |
| ⑭ | $84 \div 9 = 9 \dots 3$ | ③⑲ | $17 \div 2 = 8 \dots 1$ |
| ⑮ | $25 \div 8 = 3 \dots 1$ | ④⑰ | $24 \div 5 = 4 \dots 4$ |
| ⑯ | $59 \div 9 = 6 \dots 5$ | ④⑱ | $53 \div 7 = 7 \dots 4$ |
| ⑰ | $46 \div 6 = 7 \dots 4$ | ④⑲ | $85 \div 9 = 9 \dots 4$ |
| ⑱ | $21 \div 9 = 2 \dots 3$ | ④⑳ | $49 \div 8 = 6 \dots 1$ |
| ⑲ | $25 \div 3 = 8 \dots 1$ | ④㉑ | $20 \div 8 = 2 \dots 4$ |
| ⑳ | $27 \div 8 = 3 \dots 3$ | ④㉒ | $7 \div 5 = 1 \dots 2$  |
| ㉑ | $57 \div 9 = 6 \dots 3$ | ④㉓ | $14 \div 3 = 4 \dots 2$ |
| ㉒ | $15 \div 7 = 2 \dots 1$ | ④㉔ | $36 \div 8 = 4 \dots 4$ |
| ㉓ | $71 \div 8 = 8 \dots 7$ | ④㉕ | $17 \div 4 = 4 \dots 1$ |
| ㉔ | $27 \div 5 = 5 \dots 2$ | ④㉖ | $8 \div 5 = 1 \dots 3$  |
| ㉕ | $11 \div 9 = 1 \dots 2$ | ④㉗ | $45 \div 7 = 6 \dots 3$ |



## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $46 \div 9 = 5 \dots 1$

②  $58 \div 8 = 7 \dots 2$

③  $77 \div 9 = 8 \dots 5$

④  $67 \div 8 = 8 \dots 3$

⑤  $23 \div 6 = 3 \dots 5$

⑥  $49 \div 9 = 5 \dots 4$

⑦  $34 \div 5 = 6 \dots 4$

⑧  $19 \div 9 = 2 \dots 1$

⑨  $47 \div 8 = 5 \dots 7$

⑩  $73 \div 8 = 9 \dots 1$

⑪  $19 \div 8 = 2 \dots 3$

⑫  $54 \div 8 = 6 \dots 6$

⑬  $13 \div 3 = 4 \dots 1$

⑭  $49 \div 5 = 9 \dots 4$

⑮  $41 \div 6 = 6 \dots 5$

⑯  $15 \div 4 = 3 \dots 3$

⑰  $28 \div 3 = 9 \dots 1$

⑱  $11 \div 6 = 1 \dots 5$

⑲  $39 \div 9 = 4 \dots 3$

⑳  $43 \div 8 = 5 \dots 3$

㉑  $44 \div 8 = 5 \dots 4$

㉒  $35 \div 6 = 5 \dots 5$

㉓  $16 \div 6 = 2 \dots 4$

㉔  $26 \div 4 = 6 \dots 2$

㉕  $6 \div 5 = 1 \dots 1$

⑳  $31 \div 9 = 3 \dots 4$

㉗  $7 \div 3 = 2 \dots 1$

㉘  $52 \div 7 = 7 \dots 3$

㉙  $17 \div 7 = 2 \dots 3$

㉚  $18 \div 4 = 4 \dots 2$

㉛  $55 \div 8 = 6 \dots 7$

㉜  $77 \div 8 = 9 \dots 5$

㉝  $3 \div 2 = 1 \dots 1$

㉞  $7 \div 2 = 3 \dots 1$

㉟  $41 \div 7 = 5 \dots 6$

㊱  $50 \div 6 = 8 \dots 2$

㊲  $59 \div 6 = 9 \dots 5$

㊳  $17 \div 8 = 2 \dots 1$

㊴  $31 \div 6 = 5 \dots 1$

㊵  $42 \div 8 = 5 \dots 2$

㊶  $36 \div 7 = 5 \dots 1$

㊷  $48 \div 5 = 9 \dots 3$

㊸  $8 \div 7 = 1 \dots 1$

㊹  $65 \div 7 = 9 \dots 2$

㊺  $20 \div 7 = 2 \dots 6$

㊻  $55 \div 6 = 9 \dots 1$

㊼  $53 \div 8 = 6 \dots 5$

㊽  $9 \div 7 = 1 \dots 2$

㊾  $58 \div 9 = 6 \dots 4$

㊿  $9 \div 5 = 1 \dots 4$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $30 \div 7 = 4 \dots 2$

②  $23 \div 7 = 3 \dots 2$

③  $65 \div 9 = 7 \dots 2$

④  $66 \div 8 = 8 \dots 2$

⑤  $35 \div 4 = 8 \dots 3$

⑥  $23 \div 4 = 5 \dots 3$

⑦  $29 \div 3 = 9 \dots 2$

⑧  $13 \div 9 = 1 \dots 4$

⑨  $47 \div 5 = 9 \dots 2$

⑩  $62 \div 7 = 8 \dots 6$

⑪  $19 \div 6 = 3 \dots 1$

⑫  $25 \div 9 = 2 \dots 7$

⑬  $8 \div 3 = 2 \dots 2$

⑭  $14 \div 8 = 1 \dots 6$

⑮  $23 \div 5 = 4 \dots 3$

⑯  $14 \div 6 = 2 \dots 2$

⑰  $50 \div 7 = 7 \dots 1$

⑱  $44 \div 6 = 7 \dots 2$

⑲  $52 \div 8 = 6 \dots 4$

⑳  $40 \div 7 = 5 \dots 5$

㉑  $69 \div 7 = 9 \dots 6$

㉒  $74 \div 8 = 9 \dots 2$

㉓  $38 \div 5 = 7 \dots 3$

㉔  $48 \div 9 = 5 \dots 3$

㉕  $19 \div 5 = 3 \dots 4$

⑳  $12 \div 9 = 1 \dots 3$

㉗  $12 \div 7 = 1 \dots 5$

㉘  $88 \div 9 = 9 \dots 7$

㉙  $47 \div 6 = 7 \dots 5$

㉚  $27 \div 7 = 3 \dots 6$

㉛  $28 \div 5 = 5 \dots 3$

㉜  $34 \div 9 = 3 \dots 7$

㉝  $42 \div 9 = 4 \dots 6$

㉞  $24 \div 9 = 2 \dots 6$

㉟  $25 \div 6 = 4 \dots 1$

㊱  $21 \div 6 = 3 \dots 3$

㊲  $6 \div 4 = 1 \dots 2$

㊳  $37 \div 9 = 4 \dots 1$

㊴  $22 \div 6 = 3 \dots 4$

㊵  $11 \div 3 = 3 \dots 2$

㊶  $26 \div 6 = 4 \dots 2$

㊷  $22 \div 7 = 3 \dots 1$

㊸  $68 \div 9 = 7 \dots 5$

㊹  $74 \div 9 = 8 \dots 2$

㊺  $68 \div 8 = 8 \dots 4$

㊻  $62 \div 9 = 6 \dots 8$

㊼  $67 \div 9 = 7 \dots 4$

㊽  $7 \div 6 = 1 \dots 1$

㊾  $15 \div 8 = 1 \dots 7$

㊿  $12 \div 8 = 1 \dots 4$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $22 \div 8 = 2 \dots 6$

②  $37 \div 4 = 9 \dots 1$

③  $39 \div 8 = 4 \dots 7$

④  $37 \div 6 = 6 \dots 1$

⑤  $54 \div 7 = 7 \dots 5$

⑥  $43 \div 6 = 7 \dots 1$

⑦  $26 \div 9 = 2 \dots 8$

⑧  $43 \div 5 = 8 \dots 3$

⑨  $33 \div 4 = 8 \dots 1$

⑩  $59 \div 8 = 7 \dots 3$

⑪  $21 \div 4 = 5 \dots 1$

⑫  $44 \div 5 = 8 \dots 4$

⑬  $9 \div 2 = 4 \dots 1$

⑭  $32 \div 7 = 4 \dots 4$

⑮  $15 \div 2 = 7 \dots 1$

⑯  $18 \div 8 = 2 \dots 2$

⑰  $43 \div 7 = 6 \dots 1$

⑱  $52 \div 6 = 8 \dots 4$

⑲  $41 \div 5 = 8 \dots 1$

⑳  $61 \div 9 = 6 \dots 7$

㉑  $67 \div 7 = 9 \dots 4$

㉒  $9 \div 4 = 2 \dots 1$

㉓  $50 \div 8 = 6 \dots 2$

㉔  $46 \div 8 = 5 \dots 6$

㉕  $28 \div 8 = 3 \dots 4$

⑳  $31 \div 5 = 6 \dots 1$

㉗  $5 \div 4 = 1 \dots 1$

㉘  $11 \div 4 = 2 \dots 3$

㉙  $50 \div 9 = 5 \dots 5$

㉚  $78 \div 9 = 8 \dots 6$

㉛  $86 \div 9 = 9 \dots 5$

㉜  $35 \div 9 = 3 \dots 8$

㉝  $18 \div 7 = 2 \dots 4$

㉞  $51 \div 8 = 6 \dots 3$

㉟  $10 \div 6 = 1 \dots 4$

㊱  $11 \div 8 = 1 \dots 3$

㊲  $32 \div 5 = 6 \dots 2$

㊳  $69 \div 9 = 7 \dots 6$

㊴  $58 \div 6 = 9 \dots 4$

㊵  $33 \div 8 = 4 \dots 1$

㊶  $5 \div 3 = 1 \dots 2$

㊷  $33 \div 9 = 3 \dots 6$

㊸  $11 \div 5 = 2 \dots 1$

㊹  $11 \div 7 = 1 \dots 4$

㊺  $56 \div 9 = 6 \dots 2$

㊻  $22 \div 4 = 5 \dots 2$

㊼  $14 \div 9 = 1 \dots 5$

㊽  $4 \div 3 = 1 \dots 1$

㊾  $29 \div 8 = 3 \dots 5$

㊿  $23 \div 8 = 2 \dots 7$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $56 \div 6 = 9 \dots 2$

②  $10 \div 9 = 1 \dots 1$

③  $27 \div 4 = 6 \dots 3$

④  $14 \div 4 = 3 \dots 2$

⑤  $51 \div 6 = 8 \dots 3$

⑥  $31 \div 4 = 7 \dots 3$

⑦  $10 \div 4 = 2 \dots 2$

⑧  $37 \div 8 = 4 \dots 5$

⑨  $49 \div 6 = 8 \dots 1$

⑩  $79 \div 9 = 8 \dots 7$

⑪  $53 \div 6 = 8 \dots 5$

⑫  $10 \div 3 = 3 \dots 1$

⑬  $32 \div 6 = 5 \dots 2$

⑭  $21 \div 5 = 4 \dots 1$

⑮  $20 \div 3 = 6 \dots 2$

⑯  $37 \div 7 = 5 \dots 2$

⑰  $39 \div 5 = 7 \dots 4$

⑱  $17 \div 6 = 2 \dots 5$

⑲  $39 \div 6 = 6 \dots 3$

⑳  $13 \div 2 = 6 \dots 1$

㉑  $15 \div 6 = 2 \dots 3$

㉒  $58 \div 7 = 8 \dots 2$

㉓  $26 \div 7 = 3 \dots 5$

㉔  $83 \div 9 = 9 \dots 2$

㉕  $76 \div 9 = 8 \dots 4$

⑳  $59 \div 7 = 8 \dots 3$

㉗  $34 \div 4 = 8 \dots 2$

㉘  $45 \div 6 = 7 \dots 3$

㉙  $33 \div 5 = 6 \dots 3$

㉚  $10 \div 7 = 1 \dots 3$

㉛  $20 \div 6 = 3 \dots 2$

㉜  $21 \div 8 = 2 \dots 5$

㉝  $60 \div 9 = 6 \dots 6$

㉞  $46 \div 7 = 6 \dots 4$

㉟  $9 \div 8 = 1 \dots 1$

㊱  $17 \div 3 = 5 \dots 2$

㊲  $25 \div 4 = 6 \dots 1$

㊳  $8 \div 6 = 1 \dots 2$

㊴  $60 \div 7 = 8 \dots 4$

㊵  $7 \div 4 = 1 \dots 3$

㊶  $64 \div 7 = 9 \dots 1$

㊷  $61 \div 8 = 7 \dots 5$

㊸  $70 \div 9 = 7 \dots 7$

㊹  $32 \div 9 = 3 \dots 5$

㊺  $29 \div 6 = 4 \dots 5$

㊻  $44 \div 9 = 4 \dots 8$

㊼  $9 \div 6 = 1 \dots 3$

㊽  $66 \div 9 = 7 \dots 3$

㊾  $61 \div 7 = 8 \dots 5$

㊿  $14 \div 5 = 2 \dots 4$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $39 \div 4 = 9 \dots 3$

②  $16 \div 5 = 3 \dots 1$

③  $10 \div 9 = 1 \dots 1$

④  $37 \div 8 = 4 \dots 5$

⑤  $77 \div 9 = 8 \dots 5$

⑥  $65 \div 7 = 9 \dots 2$

⑦  $31 \div 5 = 6 \dots 1$

⑧  $30 \div 9 = 3 \dots 3$

⑨  $60 \div 8 = 7 \dots 4$

⑩  $29 \div 3 = 9 \dots 2$

⑪  $39 \div 8 = 4 \dots 7$

⑫  $18 \div 4 = 4 \dots 2$

⑬  $60 \div 9 = 6 \dots 6$

⑭  $30 \div 8 = 3 \dots 6$

⑮  $39 \div 7 = 5 \dots 4$

⑯  $61 \div 7 = 8 \dots 5$

⑰  $14 \div 6 = 2 \dots 2$

⑱  $24 \div 7 = 3 \dots 3$

⑲  $29 \div 4 = 7 \dots 1$

⑳  $62 \div 9 = 6 \dots 8$

㉑  $23 \div 5 = 4 \dots 3$

㉒  $29 \div 9 = 3 \dots 2$

㉓  $22 \div 7 = 3 \dots 1$

㉔  $13 \div 2 = 6 \dots 1$

㉕  $63 \div 8 = 7 \dots 7$

⑳  $46 \div 6 = 7 \dots 4$

㉑  $19 \div 3 = 6 \dots 1$

㉒  $11 \div 6 = 1 \dots 5$

㉓  $65 \div 9 = 7 \dots 2$

㉔  $54 \div 8 = 6 \dots 6$

㉕  $11 \div 5 = 2 \dots 1$

㉖  $26 \div 6 = 4 \dots 2$

㉗  $11 \div 8 = 1 \dots 3$

㉘  $48 \div 7 = 6 \dots 6$

㉙  $32 \div 5 = 6 \dots 2$

㉚  $78 \div 9 = 8 \dots 6$

㉛  $40 \div 7 = 5 \dots 5$

㉜  $71 \div 9 = 7 \dots 8$

㉝  $64 \div 7 = 9 \dots 1$

㉞  $67 \div 9 = 7 \dots 4$

㉟  $45 \div 8 = 5 \dots 5$

㊱  $7 \div 2 = 3 \dots 1$

㊲  $36 \div 8 = 4 \dots 4$

㊳  $49 \div 9 = 5 \dots 4$

㊴  $88 \div 9 = 9 \dots 7$

㊵  $18 \div 5 = 3 \dots 3$

㊶  $19 \div 7 = 2 \dots 5$

㊷  $68 \div 9 = 7 \dots 5$

㊸  $86 \div 9 = 9 \dots 5$

㊹  $6 \div 5 = 1 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $21 \div 4 = 5 \dots 1$

②  $42 \div 5 = 8 \dots 2$

③  $8 \div 7 = 1 \dots 1$

④  $52 \div 8 = 6 \dots 4$

⑤  $39 \div 5 = 7 \dots 4$

⑥  $73 \div 8 = 9 \dots 1$

⑦  $59 \div 8 = 7 \dots 3$

⑧  $9 \div 6 = 1 \dots 3$

⑨  $32 \div 9 = 3 \dots 5$

⑩  $7 \div 5 = 1 \dots 2$

⑪  $19 \div 9 = 2 \dots 1$

⑫  $23 \div 3 = 7 \dots 2$

⑬  $55 \div 6 = 9 \dots 1$

⑭  $9 \div 4 = 2 \dots 1$

⑮  $45 \div 7 = 6 \dots 3$

⑯  $16 \div 7 = 2 \dots 2$

⑰  $65 \div 8 = 8 \dots 1$

⑱  $37 \div 7 = 5 \dots 2$

⑲  $17 \div 5 = 3 \dots 2$

⑳  $12 \div 8 = 1 \dots 4$

㉑  $28 \div 5 = 5 \dots 3$

㉒  $17 \div 6 = 2 \dots 5$

㉓  $10 \div 6 = 1 \dots 4$

㉔  $11 \div 3 = 3 \dots 2$

㉕  $41 \div 9 = 4 \dots 5$

⑳  $17 \div 8 = 2 \dots 1$

㉗  $68 \div 7 = 9 \dots 5$

㉘  $19 \div 6 = 3 \dots 1$

㉙  $74 \div 8 = 9 \dots 2$

㉚  $31 \div 8 = 3 \dots 7$

㉛  $7 \div 6 = 1 \dots 1$

㉜  $20 \div 8 = 2 \dots 4$

㉝  $29 \div 5 = 5 \dots 4$

㉞  $15 \div 6 = 2 \dots 3$

㉟  $19 \div 8 = 2 \dots 3$

㊱  $67 \div 7 = 9 \dots 4$

㊲  $58 \div 8 = 7 \dots 2$

㊳  $84 \div 9 = 9 \dots 3$

㊴  $37 \div 9 = 4 \dots 1$

㊵  $7 \div 3 = 2 \dots 1$

㊶  $75 \div 9 = 8 \dots 3$

㊷  $79 \div 9 = 8 \dots 7$

㊸  $40 \div 6 = 6 \dots 4$

㊹  $27 \div 8 = 3 \dots 3$

㊺  $35 \div 9 = 3 \dots 8$

㊻  $37 \div 5 = 7 \dots 2$

㊼  $56 \div 9 = 6 \dots 2$

㊽  $32 \div 7 = 4 \dots 4$

㊾  $38 \div 6 = 6 \dots 2$

㊿  $77 \div 8 = 9 \dots 5$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $51 \div 6 = 8 \dots 3$

②  $73 \div 9 = 8 \dots 1$

③  $38 \div 8 = 4 \dots 6$

④  $29 \div 6 = 4 \dots 5$

⑤  $27 \div 7 = 3 \dots 6$

⑥  $89 \div 9 = 9 \dots 8$

⑦  $36 \div 5 = 7 \dots 1$

⑧  $47 \div 7 = 6 \dots 5$

⑨  $41 \div 8 = 5 \dots 1$

⑩  $27 \div 4 = 6 \dots 3$

⑪  $57 \div 9 = 6 \dots 3$

⑫  $14 \div 4 = 3 \dots 2$

⑬  $21 \div 5 = 4 \dots 1$

⑭  $35 \div 4 = 8 \dots 3$

⑮  $52 \div 9 = 5 \dots 7$

⑯  $29 \div 8 = 3 \dots 5$

⑰  $10 \div 8 = 1 \dots 2$

⑱  $68 \div 8 = 8 \dots 4$

⑲  $60 \div 7 = 8 \dots 4$

⑳  $34 \div 9 = 3 \dots 7$

㉑  $16 \div 6 = 2 \dots 4$

㉒  $35 \div 8 = 4 \dots 3$

㉓  $80 \div 9 = 8 \dots 8$

㉔  $13 \div 9 = 1 \dots 4$

㉕  $52 \div 7 = 7 \dots 3$

⑳  $25 \div 8 = 3 \dots 1$

㉗  $74 \div 9 = 8 \dots 2$

㉘  $53 \div 7 = 7 \dots 4$

㉙  $14 \div 5 = 2 \dots 4$

㉚  $46 \div 9 = 5 \dots 1$

㉛  $46 \div 5 = 9 \dots 1$

㉜  $10 \div 7 = 1 \dots 3$

㉝  $57 \div 6 = 9 \dots 3$

㉞  $25 \div 4 = 6 \dots 1$

㉟  $26 \div 9 = 2 \dots 8$

㊱  $47 \div 8 = 5 \dots 7$

㊲  $69 \div 9 = 7 \dots 6$

㊳  $22 \div 4 = 5 \dots 2$

㊴  $20 \div 6 = 3 \dots 2$

㊵  $28 \div 9 = 3 \dots 1$

㊶  $38 \div 7 = 5 \dots 3$

㊷  $47 \div 5 = 9 \dots 2$

㊸  $10 \div 4 = 2 \dots 2$

㊹  $13 \div 6 = 2 \dots 1$

㊺  $12 \div 5 = 2 \dots 2$

㊻  $43 \div 5 = 8 \dots 3$

㊼  $16 \div 3 = 5 \dots 1$

㊽  $11 \div 9 = 1 \dots 2$

㊾  $48 \div 5 = 9 \dots 3$

㊿  $9 \div 8 = 1 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $54 \div 7 = 7 \dots 5$

②  $20 \div 9 = 2 \dots 2$

③  $10 \div 3 = 3 \dots 1$

④  $17 \div 4 = 4 \dots 1$

⑤  $9 \div 2 = 4 \dots 1$

⑥  $49 \div 8 = 6 \dots 1$

⑦  $50 \div 9 = 5 \dots 5$

⑧  $62 \div 7 = 8 \dots 6$

⑨  $14 \div 9 = 1 \dots 5$

⑩  $56 \div 6 = 9 \dots 2$

⑪  $5 \div 2 = 2 \dots 1$

⑫  $42 \div 8 = 5 \dots 2$

⑬  $50 \div 8 = 6 \dots 2$

⑭  $69 \div 7 = 9 \dots 6$

⑮  $61 \div 9 = 6 \dots 7$

⑯  $26 \div 5 = 5 \dots 1$

⑰  $79 \div 8 = 9 \dots 7$

⑱  $58 \div 7 = 8 \dots 2$

⑲  $55 \div 8 = 6 \dots 7$

⑳  $44 \div 6 = 7 \dots 2$

㉑  $23 \div 8 = 2 \dots 7$

㉒  $7 \div 4 = 1 \dots 3$

㉓  $34 \div 4 = 8 \dots 2$

㉔  $37 \div 6 = 6 \dots 1$

㉕  $33 \div 7 = 4 \dots 5$

⑳  $55 \div 9 = 6 \dots 1$

㉗  $59 \div 9 = 6 \dots 5$

㉘  $3 \div 2 = 1 \dots 1$

㉙  $52 \div 6 = 8 \dots 4$

㉚  $66 \div 7 = 9 \dots 3$

㉛  $21 \div 6 = 3 \dots 3$

㉜  $53 \div 6 = 8 \dots 5$

㉝  $25 \div 6 = 4 \dots 1$

㉞  $24 \div 9 = 2 \dots 6$

㉟  $15 \div 8 = 1 \dots 7$

㊱  $17 \div 3 = 5 \dots 2$

㊲  $49 \div 6 = 8 \dots 1$

㊳  $28 \div 6 = 4 \dots 4$

㊴  $75 \div 8 = 9 \dots 3$

㊵  $55 \div 7 = 7 \dots 6$

㊶  $33 \div 6 = 5 \dots 3$

㊷  $43 \div 7 = 6 \dots 1$

㊸  $44 \div 8 = 5 \dots 4$

㊹  $46 \div 8 = 5 \dots 6$

㊺  $23 \div 7 = 3 \dots 2$

㊻  $22 \div 3 = 7 \dots 1$

㊼  $33 \div 9 = 3 \dots 6$

㊽  $8 \div 3 = 2 \dots 2$

㊾  $43 \div 9 = 4 \dots 7$

㊿  $51 \div 8 = 6 \dots 3$



## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $20 \div 7 = 2 \dots 6$

②  $69 \div 8 = 8 \dots 5$

③  $22 \div 5 = 4 \dots 2$

④  $83 \div 9 = 9 \dots 2$

⑤  $64 \div 9 = 7 \dots 1$

⑥  $15 \div 9 = 1 \dots 6$

⑦  $59 \div 7 = 8 \dots 3$

⑧  $17 \div 7 = 2 \dots 3$

⑨  $50 \div 6 = 8 \dots 2$

⑩  $12 \div 7 = 1 \dots 5$

⑪  $8 \div 6 = 1 \dots 2$

⑫  $15 \div 7 = 2 \dots 1$

⑬  $33 \div 4 = 8 \dots 1$

⑭  $33 \div 8 = 4 \dots 1$

⑮  $44 \div 5 = 8 \dots 4$

⑯  $58 \div 6 = 9 \dots 4$

⑰  $53 \div 8 = 6 \dots 5$

⑱  $25 \div 3 = 8 \dots 1$

⑲  $31 \div 7 = 4 \dots 3$

⑳  $26 \div 7 = 3 \dots 5$

㉑  $6 \div 4 = 1 \dots 2$

㉒  $45 \div 6 = 7 \dots 3$

㉓  $27 \div 5 = 5 \dots 2$

㉔  $8 \div 5 = 1 \dots 3$

㉕  $18 \div 8 = 2 \dots 2$

⑳  $34 \div 8 = 4 \dots 2$

㉗  $29 \div 7 = 4 \dots 1$

㉘  $14 \div 8 = 1 \dots 6$

㉙  $66 \div 9 = 7 \dots 3$

㉚  $13 \div 5 = 2 \dots 3$

㉛  $14 \div 3 = 4 \dots 2$

㉜  $47 \div 6 = 7 \dots 5$

㉝  $48 \div 9 = 5 \dots 3$

㉞  $70 \div 8 = 8 \dots 6$

㉟  $19 \div 4 = 4 \dots 3$

㊱  $19 \div 2 = 9 \dots 1$

㊲  $17 \div 9 = 1 \dots 8$

㊳  $58 \div 9 = 6 \dots 4$

㊴  $78 \div 8 = 9 \dots 6$

㊵  $50 \div 7 = 7 \dots 1$

㊶  $34 \div 6 = 5 \dots 4$

㊷  $34 \div 5 = 6 \dots 4$

㊸  $41 \div 5 = 8 \dots 1$

㊹  $59 \div 6 = 9 \dots 5$

㊺  $39 \div 6 = 6 \dots 3$

㊻  $57 \div 7 = 8 \dots 1$

㊼  $27 \div 6 = 4 \dots 3$

㊽  $76 \div 9 = 8 \dots 4$

㊾  $13 \div 7 = 1 \dots 6$

㊿  $15 \div 4 = 3 \dots 3$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $35 \div 6 = 5 \dots 5$

②  $28 \div 3 = 9 \dots 1$

③  $11 \div 4 = 2 \dots 3$

④  $37 \div 4 = 9 \dots 1$

⑤  $38 \div 5 = 7 \dots 3$

⑥  $31 \div 9 = 3 \dots 4$

⑦  $34 \div 7 = 4 \dots 6$

⑧  $38 \div 9 = 4 \dots 2$

⑨  $30 \div 4 = 7 \dots 2$

⑩  $82 \div 9 = 9 \dots 1$

⑪  $87 \div 9 = 9 \dots 6$

⑫  $30 \div 7 = 4 \dots 2$

⑬  $41 \div 6 = 6 \dots 5$

⑭  $66 \div 8 = 8 \dots 2$

⑮  $11 \div 2 = 5 \dots 1$

⑯  $5 \div 3 = 1 \dots 2$

⑰  $19 \div 5 = 3 \dots 4$

⑱  $42 \div 9 = 4 \dots 6$

⑲  $24 \div 5 = 4 \dots 4$

⑳  $49 \div 5 = 9 \dots 4$

㉑  $22 \div 6 = 3 \dots 4$

㉒  $31 \div 4 = 7 \dots 3$

㉓  $15 \div 2 = 7 \dots 1$

㉔  $4 \div 3 = 1 \dots 1$

㉕  $38 \div 4 = 9 \dots 2$

⑳  $61 \div 8 = 7 \dots 5$

㉑  $23 \div 4 = 5 \dots 3$

㉒  $25 \div 9 = 2 \dots 7$

㉓  $47 \div 9 = 5 \dots 2$

㉔  $9 \div 5 = 1 \dots 4$

㉕  $9 \div 7 = 1 \dots 2$

㉖  $51 \div 9 = 5 \dots 6$

㉗  $5 \div 4 = 1 \dots 1$

㉘  $67 \div 8 = 8 \dots 3$

㉙  $12 \div 9 = 1 \dots 3$

㉚  $25 \div 7 = 3 \dots 4$

㉛  $53 \div 9 = 5 \dots 8$

㉜  $16 \div 9 = 1 \dots 7$

㉝  $23 \div 9 = 2 \dots 5$

㉞  $71 \div 8 = 8 \dots 7$

㉟  $43 \div 6 = 7 \dots 1$

㊱  $28 \div 8 = 3 \dots 4$

㊲  $76 \div 8 = 9 \dots 4$

㊳  $18 \div 7 = 2 \dots 4$

㊴  $41 \div 7 = 5 \dots 6$

㊵  $20 \div 3 = 6 \dots 2$

㊶  $85 \div 9 = 9 \dots 4$

㊷  $39 \div 9 = 4 \dots 3$

㊸  $51 \div 7 = 7 \dots 2$

㊹  $13 \div 3 = 4 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $3 \div 2 = 1 \dots 1$

②  $36 \div 5 = 7 \dots 1$

③  $17 \div 4 = 4 \dots 1$

④  $55 \div 9 = 6 \dots 1$

⑤  $29 \div 5 = 5 \dots 4$

⑥  $56 \div 6 = 9 \dots 2$

⑦  $44 \div 9 = 4 \dots 8$

⑧  $59 \div 7 = 8 \dots 3$

⑨  $43 \div 5 = 8 \dots 3$

⑩  $52 \div 8 = 6 \dots 4$

⑪  $8 \div 7 = 1 \dots 1$

⑫  $37 \div 7 = 5 \dots 2$

⑬  $78 \div 8 = 9 \dots 6$

⑭  $41 \div 5 = 8 \dots 1$

⑮  $59 \div 9 = 6 \dots 5$

⑯  $31 \div 8 = 3 \dots 7$

⑰  $7 \div 4 = 1 \dots 3$

⑱  $29 \div 4 = 7 \dots 1$

⑲  $21 \div 6 = 3 \dots 3$

⑳  $5 \div 2 = 2 \dots 1$

㉑  $13 \div 7 = 1 \dots 6$

㉒  $52 \div 6 = 8 \dots 4$

㉓  $9 \div 4 = 2 \dots 1$

㉔  $47 \div 5 = 9 \dots 2$

㉕  $22 \div 6 = 3 \dots 4$

⑳  $55 \div 8 = 6 \dots 7$

㉗  $33 \div 9 = 3 \dots 6$

㉘  $70 \div 9 = 7 \dots 7$

㉙  $43 \div 8 = 5 \dots 3$

㉚  $22 \div 7 = 3 \dots 1$

㉛  $26 \div 3 = 8 \dots 2$

㉜  $77 \div 9 = 8 \dots 5$

㉝  $30 \div 8 = 3 \dots 6$

㉞  $39 \div 4 = 9 \dots 3$

㉟  $10 \div 6 = 1 \dots 4$

㊱  $11 \div 5 = 2 \dots 1$

㊲  $49 \div 5 = 9 \dots 4$

㊳  $44 \div 8 = 5 \dots 4$

㊴  $40 \div 6 = 6 \dots 4$

㊵  $43 \div 6 = 7 \dots 1$

㊶  $42 \div 8 = 5 \dots 2$

㊷  $34 \div 4 = 8 \dots 2$

㊸  $62 \div 7 = 8 \dots 6$

㊹  $9 \div 6 = 1 \dots 3$

㊺  $35 \div 9 = 3 \dots 8$

㊻  $43 \div 7 = 6 \dots 1$

㊼  $26 \div 5 = 5 \dots 1$

㊽  $32 \div 9 = 3 \dots 5$

㊾  $63 \div 8 = 7 \dots 7$

㊿  $25 \div 3 = 8 \dots 1$

## わり算 [4]

内容

余りを求めるのに 繰り下がりの引き算が  
必要なわり算と必要でないわり算が混合している問題の答え

①  $55 \div 6 = 9 \dots 1$

②  $32 \div 6 = 5 \dots 2$

③  $22 \div 8 = 2 \dots 6$

④  $75 \div 9 = 8 \dots 3$

⑤  $51 \div 7 = 7 \dots 2$

⑥  $83 \div 9 = 9 \dots 2$

⑦  $41 \div 9 = 4 \dots 5$

⑧  $14 \div 4 = 3 \dots 2$

⑨  $37 \div 4 = 9 \dots 1$

⑩  $20 \div 8 = 2 \dots 4$

⑪  $26 \div 4 = 6 \dots 2$

⑫  $33 \div 8 = 4 \dots 1$

⑬  $34 \div 5 = 6 \dots 4$

⑭  $58 \div 7 = 8 \dots 2$

⑮  $43 \div 9 = 4 \dots 7$

⑯  $48 \div 7 = 6 \dots 6$

⑰  $57 \div 9 = 6 \dots 3$

⑱  $56 \div 9 = 6 \dots 2$

⑲  $31 \div 6 = 5 \dots 1$

⑳  $53 \div 6 = 8 \dots 5$

㉑  $31 \div 5 = 6 \dots 1$

㉒  $23 \div 8 = 2 \dots 7$

㉓  $5 \div 4 = 1 \dots 1$

㉔  $37 \div 6 = 6 \dots 1$

㉕  $42 \div 5 = 8 \dots 2$

⑳  $23 \div 7 = 3 \dots 2$

㉗  $29 \div 9 = 3 \dots 2$

㉘  $19 \div 7 = 2 \dots 5$

㉙  $39 \div 7 = 5 \dots 4$

㉚  $50 \div 6 = 8 \dots 2$

㉛  $34 \div 8 = 4 \dots 2$

㉜  $40 \div 7 = 5 \dots 5$

㉝  $33 \div 4 = 8 \dots 1$

㉞  $27 \div 5 = 5 \dots 2$

㉟  $22 \div 4 = 5 \dots 2$

㊱  $44 \div 5 = 8 \dots 4$

㊲  $13 \div 3 = 4 \dots 1$

㊳  $7 \div 2 = 3 \dots 1$

㊴  $23 \div 6 = 3 \dots 5$

㊵  $69 \div 7 = 9 \dots 6$

㊶  $7 \div 3 = 2 \dots 1$

㊷  $23 \div 5 = 4 \dots 3$

㊸  $10 \div 7 = 1 \dots 3$

㊹  $61 \div 9 = 6 \dots 7$

㊺  $38 \div 9 = 4 \dots 2$

㊻  $75 \div 8 = 9 \dots 3$

㊼  $89 \div 9 = 9 \dots 8$

㊽  $20 \div 9 = 2 \dots 2$

㊾  $15 \div 6 = 2 \dots 3$

㊿  $21 \div 8 = 2 \dots 5$